

WADO
recambios-agrícola





PÁGINA 3 - 29



PÁGINA 30 - 32



PÁGINA 33 - 52



PÁGINA 53 - 90



PÁGINA 91 - 120



PÁGINA 121 - 129



PÁGINA 130 - 132



PÁGINA 133 - 150



PÁGINA 151 - 161




PÁGINA 162 - 185



PÁGINA 186 - 192

GRÉGOIRE BESSON

TIPO B2-C14S




TIPO B2-C14S



Part-no.	Type	Description	Pos. B2-C14S	Orig.-part.no.	Weight
35.0014	—	Landside	6	173388	4.872 kg
35.0016	—	Landside protector	5	177349	2.930 kg
35.0034	—	Cast heel	10	172381	3.750 kg
35.0047	left	Couter à soc	9	173323	0.890 kg
35.0048	right	Couter à soc	9	173324	0.890 kg
35.0055	left	Moldboard	1	173403-173479	13.000 kg
35.0056	right	Moldboard	1	173404-173480	13.000 kg
35.0079	left	Shin	2	173325	1.830 kg
35.0080	right	Shin	2	173326	1.830 kg
35.0089	left	Reversible point	3	173331	2.066 kg
35.0090	right	Reversible point	3	173332	2.066 kg
35.0095	left	Reversible point share - 14"	4	173423	5.610 kg
35.0096	right	Reversible point share - 14"	4	173424	5.610 kg
35.0097	left	Reversible point share - 16"	4	173613	6.400 kg
35.0098	right	Reversible point share - 16"	4	173614	6.400 kg
35.0099	left	Reversible point share - 18"	4	173801	7.600 kg
35.0100	right	Reversible point share - 18"	4	173802	7.200 kg
35.0103	right	Moldboard extension	8	172348	2.140 kg
35.0104	left	Moldboard extension	8	172347	2.140 kg
35.0114	—	Landside	7	177319	5.100 kg
35.0117	left	Reversible point	3a	177327	1.990 kg
35.0118	right	Reversible point	3a	177328	1.990 kg

TIPO B2-C16S




TIPO B2-C16S



Part-no.	Type	Description	Pos. B2- C16S	Orig.- part.no.	Weight
35.0014	—	Landside	6	173388	4.872 kg
35.0016	—	Landside protector	5	177349	2.930 kg
35.0034	—	Cast heel	10	172381	3.750 kg
35.0047	left	Couter à soc	9	173323	0.890 kg
35.0048	right	Couter à soc	9	173324	0.890 kg
35.0063	left	Moldboard	1	173603-173629	15.000 kg
35.0064	right	Moldboard	1	173604-173630	15.000 kg
35.0079	left	Shin	2	173325	1.830 kg
35.0080	right	Shin	2	173326	1.830 kg
35.0089	left	Reversible point	3	173331	2.066 kg
35.0090	right	Reversible point	3	173332	2.066 kg
35.0095	left	Reversible point share - 14"	—	173423	5.610 kg
35.0096	right	Reversible point share - 14"	4	173424	5.610 kg
35.0097	left	Reversible point share - 16"	4	173613	6.400 kg
35.0098	right	Reversible point share - 16"	4	173614	6.400 kg
35.0099	left	Reversible point share - 18"	4	173801	7.600 kg
35.0100	right	Reversible point share - 18"	4	173802	7.200 kg
35.0103	right	Moldboard extension	8	172348	2.140 kg
35.0104	left	Moldboard extension	8	172347	2.140 kg
35.0114	—	Landside	7	177319	5.100 kg
35.0117	left	Reversible point	3a	177327	1.990 kg
35.0118	right	Reversible point	3a	177328	1.990 kg

TIPO B2-Nr.5AR5H




TIPO B2-Nr.5AR5H



Part-no.	Type	Description	Pos. B2-Nr.5AR5H	Orig.-part.no.	Weight
35.0014	—	Landside	6	173388	4.872 kg
35.0016	—	Landside protector	5	177349	2.930 kg
35.0034	—	Cast heel	10	172381	3.750 kg
35.0047	left	Couter à soc	9	173323	0.890 kg
35.0048	right	Couter à soc	9	173324	0.890 kg
35.0075	left	Moldboard extension	8	172311	1.800 kg
35.0076	right	Moldboard extension	8	172312	1.800 kg
35.0089	left	Reversible point	3	173331	2.066 kg
35.0090	right	Reversible point	3	173332	2.066 kg
35.0095	left	Reversible point share - 14"	4	173423	5.610 kg
35.0096	right	Reversible point share - 14"	4	173424	5.610 kg
35.0097	left	Reversible point share - 16"	4	173613	6.400 kg
35.0098	right	Reversible point share - 16"	4	173614	6.400 kg
35.0099	left	Reversible point share - 18"	4	173801	7.600 kg
35.0100	right	Reversible point share - 18"	4	173802	7.200 kg
35.0110	left	Shin	2	173475	2.130 kg
35.0111	right	Shin	2	173476	1.800 kg
35.0112	left	Moldboard	1	173483-173435	16.000 kg
35.0113	right	Moldboard	1	173484-173436	16.000 kg
35.0114	—	Landside	7	177319	5.100 kg
35.0117	left	Reversible point	3a	177327	1.990 kg
35.0118	right	Reversible point	3a	177328	1.990 kg
35.0125	left	Reversible point share - B3-14"	4a	178123	6.400 kg
35.0126	right	Reversible point share - B3-14"	4a	178124	6.400 kg
35.0127	left	Reversible point share - B3-16"	4a	178125	6.750 kg
35.0128	right	Reversible point share - B3-16"	4a	178126	6.750 kg

TIPO B2-Nr.8AR8HLM




TIPO B2-Nr.8AR8HLM



Part-no.	Type	Description	Pos. B2-Nr.8AR8HLM	Orig.-part.no.	Weight
35.0014	—	Landside	6	173388	4.872 kg
35.0016	—	Landside protector	5	177349	2.930 kg
35.0034	—	Cast heel	10	172381	3.750 kg
35.0047	left	Couter à soc	9	173323	0.890 kg
35.0048	right	Couter à soc	9	173324	0.890 kg
35.0059	left	Moldboard	1	173427-173491-173459	20.400 kg
35.0060	right	Moldboard	1	173428-173492-173460	20.400 kg
35.0075	left	Moldboard extension	8	172311	1.800 kg
35.0076	right	Moldboard extension	8	172312	1.800 kg
35.0083	left	Shin	2	173461	2.000 kg
35.0084	right	Shin	2	173462	2.000 kg
35.0089	left	Reversible point	3	173331	2.066 kg
35.0090	right	Reversible point	3	173332	2.066 kg
35.0095	left	Reversible point share - 14"	4	173423	5.610 kg
35.0096	right	Reversible point share - 14"	4	173424	5.610 kg
35.0097	left	Reversible point share - 16"	4	173613	6.400 kg
35.0098	right	Reversible point share - 16"	4	173614	6.400 kg
35.0099	left	Reversible point share - 18"	4	173801	7.600 kg
35.0100	right	Reversible point share - 18"	4	173802	7.200 kg
35.0114	—	Landside	7	177319	5.100 kg
35.0117	left	Reversible point	3a	177327	1.990 kg
35.0118	right	Reversible point	3a	177328	1.990 kg


TIPO B3-CV7



TIPO B3-CV7

Part-no.	Type	Description	Pos. B3-CV7	Orig.-part.no.	Weight
35.0014	—	Landside	9	173388	4.872 kg
35.0016	—	Landside protector	8	177349	2.930 kg
35.0034	—	Cast heel	12	172381	3.750 kg
35.0047	left	Couter à soc	11	173323	0.890 kg
35.0048	right	Couter à soc	11	173324	0.890 kg
35.0067	left	Moldboard slat	4	178105	2.820 kg
35.0068	right	Moldboard slat	4	178106	2.820 kg
35.0069	left	Moldboard slat	3	178107	2.730 kg
35.0070	right	Moldboard slat	3	178108	2.730 kg
35.0071	left	Moldboard slat	2	178109	3.800 kg
35.0072	right	Moldboard slat	2	178110	3.800 kg
35.0073	left	Moldboard slat	1	178111	6.240 kg
35.0074	right	Moldboard slat	1	178112	6.240 kg
35.0087	left	Shin	5	178113	3.760 kg
35.0088	right	Shin	5	178114	3.760 kg
35.0089	left	Reversible point	6	173331	2.066 kg
35.0090	right	Reversible point	6	173332	2.066 kg
35.0095	left	Reversible point share - 14"	7	173423	5.610 kg
35.0096	right	Reversible point share - 14"	7	173424	5.610 kg
35.0097	left	Reversible point share - 16"	7	173613	6.400 kg
35.0098	right	Reversible point share - 16"	7	173614	6.400 kg
35.0099	left	Reversible point share - 18"	7	173801	7.600 kg
35.0100	right	Reversible point share - 18"	7	173802	7.200 kg
35.0114	—	Landside	10	177319	5.100 kg
35.0117	left	Reversible point	6a	177327	1.990 kg
35.0118	right	Reversible point	6a	177328	1.990 kg


TIPO B3-E7



TIPO B3-E7

Part-no.	Type	Description	Pos. B3-E7	Orig.-part.no.	Weight
35.0014	—	Landside	6	173388	4.872 kg
35.0016	—	Landside protector	5	177349	2.930 kg
35.0034	—	Cast heel	10	172381	3.750 kg
35.0047	left	Couter à soc	9	173323	0.890 kg
35.0048	right	Couter à soc	9	173324	0.890 kg
35.0075	left	Moldboard extension	8	172311	1.800 kg
35.0076	right	Moldboard extension	8	172312	1.800 kg
35.0089	left	Reversible point	3	173331	2.066 kg
35.0090	right	Reversible point	3	173332	2.066 kg
35.0095	left	Reversible point share - 14"	4	173423	5.610 kg
35.0096	right	Reversible point share - 14"	4	173424	5.610 kg
35.0097	left	Reversible point share - 16"	4	173613	6.400 kg
35.0098	right	Reversible point share - 16"	4	173614	6.400 kg
35.0099	left	Reversible point share - 18"	4	173801	7.600 kg
35.0100	right	Reversible point share - 18"	4	173802	7.200 kg
35.0114	—	Landside	7	177319	5.100 kg
35.0117	left	Reversible point	3a	177327	1.990 kg
35.0118	right	Reversible point	3a	177328	1.990 kg
35.0125	left	Reversible point share - B3-14"	4a	178123	6.400 kg
35.0126	right	Reversible point share - B3-14"	4a	178124	6.400 kg
35.0127	left	Reversible point share - B3-16"	4a	178125	6.750 kg
35.0128	right	Reversible point share - B3-16"	4a	178126	6.750 kg
35.0131	left	Moldboard	1	178101	14.200 kg
35.0132	right	Moldboard	1	178102	14.200 kg
35.0133	left	Shin	2	178103	1.700 kg
35.0134	right	Shin	2	178104	1.700 kg

TIPO C14N-30x30




TIPO C14N-30x30



Part-no.	Type	Description	Pos. C14N - 30x30	Orig.- part.no.	Weight
35.0000	—	Landside	4	172321-172338	2.600 kg
35.0004	—	Landside	5	172380	5.240 kg
35.0034	—	Cast heel	7	172381	3.750 kg
35.0035	—	Bar point	3	171207	5.250 kg
35.0039	left	Bar point share	2	172417	3.960 kg
35.0040	right	Bar point share	2	172418	3.960 kg
35.0043	left	Bar point share	2	172613	4.510 kg
35.0044	right	Bar point share	2	172614	4.510 kg
35.0051	left	Moldboard	1	172405-172457	15.000 kg
35.0052	right	Moldboard	1	172406-172458	15.000 kg
35.0103	right	Moldboard extension	6	172348	2.140 kg
35.0104	left	Moldboard extension	6	172347	2.140 kg

TIPO C14N-35x35




TIPO C14N-35x35



Part-no.	Type	Description	Pos. C14N - 35x35	Orig.- part.no.	Weight
35.0000	—	Landside	4	172321-172338	2.600 kg
35.0004	—	Landside	5	172380	5.240 kg
35.0034	—	Cast heel	7	172381	3.750 kg
35.0036	—	Bar point	3	172330	6.940 kg
35.0039	left	Bar point share	2	172417	3.960 kg
35.0040	right	Bar point share	2	172418	3.960 kg
35.0043	left	Bar point share	2	172613	4.510 kg
35.0044	right	Bar point share	2	172614	4.510 kg
35.0051	left	Moldboard	1	172405-172457	15.000 kg
35.0052	right	Moldboard	1	172406-172458	15.000 kg
35.0103	right	Moldboard extension	6	172348	2.140 kg
35.0104	left	Moldboard extension	6	172347	2.140 kg

TIPO C16N-30x30




TIPO C16N-30x30



Part-no.	Type	Description	Pos. C16N - 30x30	Orig.- part.no.	Weight
35.0000	—	Landside	4	172321-172338	2.600 kg
35.0004	—	Landside	5	172380	5.240 kg
35.0034	—	Cast heel	7	172381	3.750 kg
35.0035	—	Bar point	3	171207	5.250 kg
35.0039	left	Bar point share	2	172417	3.960 kg
35.0040	right	Bar point share	2	172418	3.960 kg
35.0043	left	Bar point share	2	172613	4.510 kg
35.0044	right	Bar point share	2	172614	4.510 kg
35.0053	left	Moldboard	1	172605-172629	17.000 kg
35.0054	right	Moldboard	1	172606-172630	17.000 kg
35.0103	right	Moldboard extension	6	172348	2.140 kg
35.0104	left	Moldboard extension	6	172347	2.140 kg

TIPO C16N-35x35




TIPO C16N-35x35



Part-no.	Type	Description	Pos. C16N - 35x35	Orig.-part.no.	Weight
35.0000	—	Landside	4	172321-172338	2.600 kg
35.0004	—	Landside	5	172380	5.240 kg
35.0034	—	Cast heel	7	172381	3.750 kg
35.0036	—	Bar point	3	172330	6.940 kg
35.0039	left	Bar point share	2	172417	3.960 kg
35.0040	right	Bar point share	2	172418	3.960 kg
35.0043	left	Bar point share	2	172613	4.510 kg
35.0044	right	Bar point share	2	172614	4.510 kg
35.0053	left	Moldboard	1	172605-172629	17.000 kg
35.0054	right	Moldboard	1	172606-172630	17.000 kg
35.0103	right	Moldboard extension	6	172348	2.140 kg
35.0104	left	Moldboard extension	6	172347	2.140 kg

TIPO TA-Nr. 8-H8NM




TIPO TA-Nr. 8-H8NM



Part-no.	Type	Description	Pos. TA- Nr.8- H8NM	Orig.- part.no.	Weight
35.0016	—	Landside protector	6	177349	2.930 kg
35.0034	—	Cast heel	10	172381	3.750 kg
35.0047	left	Couter à soc	9	173323	0.890 kg
35.0048	right	Couter à soc	9	173324	0.890 kg
35.0075	left	Moldboard extension	8	172311	1.800 kg
35.0076	right	Moldboard extension	8	172312	1.800 kg
35.0085	left	Shin	2	177427	1.930 kg
35.0086	right	Shin	2	177428	1.930 kg
35.0089	left	Reversible point	3	173331	2.066 kg
35.0090	right	Reversible point	3	173332	2.066 kg
35.0114	—	Landside	7	177319	5.100 kg
35.0115	left	Moldboard	1	177435-177425	20.000 kg
35.0116	right	Moldboard	1	177436-177426	20.000 kg
35.0117	left	Reversible point	3a	177327	1.990 kg
35.0118	right	Reversible point	3a	177328	1.990 kg
35.0121	left	Reversible point share - TA-14"	5	177401	6.500 kg
35.0122	right	Reversible point share - TA-14"	5	177402	6.500 kg
35.0123	left	Reversible point share - TA-16"	5	177601	6.800 kg
35.0124	right	Reversible point share - TA-16"	5	177602	6.800 kg
35.0125	left	Reversible point share - B3-14"	4	178123	6.400 kg
35.0126	right	Reversible point share - B3-14"	4	178124	6.400 kg
35.0127	left	Reversible point share - B3-16"	4	178125	6.750 kg
35.0128	right	Reversible point share - B3-16"	4	178126	6.750 kg

TIPO TA-Nr.8-TA8




TIPO TA-Nr.8-TA8



Part-no.	Type	Description	Pos. TA-Nr.8-TA8	Orig.-part.no.	Weight
35.0016	—	Landside protector	6	177349	2.930 kg
35.0034	—	Cast heel	10	172381	3.750 kg
35.0047	left	Couter à soc	9	173323	0.890 kg
35.0048	right	Couter à soc	9	173324	0.890 kg
35.0065	left	Moldboard	1	177433-177403	18.390 kg
35.0066	right	Moldboard	1	177434-177404	18.390 kg
35.0075	left	Moldboard extension	8	172311	1.800 kg
35.0076	right	Moldboard extension	8	172312	1.800 kg
35.0089	left	Reversible point	3	173331	2.066 kg
35.0090	right	Reversible point	3	173332	2.066 kg
35.0114	—	Landside	7	177319	5.100 kg
35.0117	left	Reversible point	3a	177327	1.990 kg
35.0118	right	Reversible point	3a	177328	1.990 kg
35.0119	left	Shin	2	173345	2.130 kg
35.0120	right	Shin	2	173346	2.130 kg
35.0121	left	Reversible point share - TA-14"	5	177401	6.500 kg
35.0122	right	Reversible point share - TA-14"	5	177402	6.500 kg
35.0123	left	Reversible point share - TA-16"	5	177601	6.800 kg
35.0124	right	Reversible point share - TA-16"	5	177602	6.800 kg
35.0125	left	Reversible point share - B3-14"	4	178123	6.400 kg
35.0126	right	Reversible point share - B3-14"	4	178124	6.400 kg
35.0127	left	Reversible point share - B3-16"	4	178125	6.750 kg
35.0128	right	Reversible point share - B3-16"	4	178126	6.750 kg

TIPO TA-Nr.H6




TIPO TA-Nr.H6

Part-no.	Type	Description	Pos. TA- Nr.H6	Orig.- part.no.	Weight
35.0016	—	Landside protector	6	177349	2.930 kg
35.0034	—	Cast heel	10	172381	3.750 kg
35.0047	left	Couter à soc	9	173323	0.890 kg
35.0048	right	Couter à soc	9	173324	0.890 kg
35.0075	left	Moldboard extension	8	172311	1.800 kg
35.0076	right	Moldboard extension	8	172312	1.800 kg
35.0085	left	Shin	2	177427	1.930 kg
35.0086	right	Shin	2	177428	1.930 kg
35.0089	left	Reversible point	3	173331	2.066 kg
35.0090	right	Reversible point	3	173332	2.066 kg
35.0114	—	Landside	7	177319	5.100 kg
35.0117	left	Reversible point	3a	177327	1.990 kg
35.0118	right	Reversible point	3a	177328	1.990 kg
35.0121	left	Reversible point share - TA-14"	5	177401	6.500 kg
35.0122	right	Reversible point share - TA-14"	5	177402	6.500 kg
35.0123	left	Reversible point share - TA-16"	5	177601	6.800 kg
35.0124	right	Reversible point share - TA-16"	5	177602	6.800 kg
35.0125	left	Reversible point share - B3-14"	4	178123	6.400 kg
35.0126	right	Reversible point share - B3-14"	4	178124	6.400 kg
35.0127	left	Reversible point share - B3-16"	4	178125	6.750 kg
35.0128	right	Reversible point share - B3-16"	4	178126	6.750 kg
35.0129	left	Moldboard	1	177439-177441	19.600 kg
35.0130	right	Moldboard	1	177440-177442	19.600 kg

KRONE

TIPO KG 122-161



TIPO KG 122-161




Part-no.	Type	Description	Pos. KG 122/161	Orig.-part.no.	Weight
42.0004	right	Reversible point M1000	9	929.099. KG	1.100 kg
42.0005	left	Reversible point M1010	9	929.199. KG	1.100 kg
52.0000	right	Moldboard slat	1	929.500.0 - 959.500.0	2.680 kg
52.0001	left	Moldboard slat	1	929.550.0 - 959.550.0	2.680 kg
52.0002	right	Moldboard slat	2	929.505.0 - 959.505.0	2.900 kg
52.0003	left	Moldboard slat	2	929.555.0 - 959.555.0	2.900 kg
52.0004	right	Moldboard slat	3	929.506.0 - 959.506.0	3.210 kg
52.0005	left	Moldboard slat	3	929.556.0 - 959.556.0	3.210 kg
52.0006	right	Moldboard slat	4	929.507.0 - 959.507.0	2.730 kg
52.0007	left	Moldboard slat	4	929.557.0 - 959.557.0	2.730 kg
52.0018	right	Shin	5	929.405.0 - 959.405.0	1.680 kg
52.0019	left	Shin	5	929.425.0 - 959.425.0	1.680 kg
52.0030	right	Reversible point share	8	929.029.0 - 969.029.0	5.200 kg
52.0031	left	Reversible point share	8	929.129.0 - 969.129.0	5.200 kg
52.0036	right	Landside 470mm	11	123.160.4	4.150 kg
52.0037	left	Landside 470mm	11	123.161.4	4.150 kg
52.0038	right	Landside 650mm	10	123.164.4	6.000 kg
52.0039	left	Landside 650mm	10	123.165.4	6.000 kg
52.0040	right	Landside tip	12	123.166.5	1.300 kg
52.0041	left	Landside tip	12	123.112.6	1.300 kg
52.0042	right	Share	7	929.017.0 - 969.017.0	4.000 kg
52.0043	left	Share	7	929.117.0 - 969.117.0	4.000 kg
52.0044	right	Beak share	6	929.009.0 - 969.009.0	5.400 kg
52.0045	left	Beak share	6	929.109.0 - 969.109.0	5.400 kg



KUHN

TIPO H4



TIPO H4




Part-no.	Type	Description	Pos. H4	Orig.-part.no.	Weight
34.0012	right	Landside	12	278074	2.920 kg
34.0013	left	Landside	12	278075	2.920 kg
34.0014	right	Landside	11	278076	4.580 kg
34.0015	left	Landside	11	278077	4.580 kg
34.0032	—	Landside	6	279140	5.410 kg
34.0033	—	Landside	7	761108	4.700 kg
34.0036	right	Landside tip	8	223120	0.900 kg
34.0037	left	Landside tip	8	223121	0.900 kg
34.0040	right	Landside tip	8a	761106	0.900 kg
34.0041	left	Landside tip	8a	761107	0.900 kg
34.0104	right	Moldboard	1	612108	16.900 kg
34.0105	left	Moldboard	1	612109	16.900 kg
34.0138	right	Moldboard extension	10	648102	2.100 kg
34.0139	left	Moldboard extension	10	648103	2.100 kg
34.0152	right	Shin	2	619120	2.100 kg
34.0153	left	Shin	2	619121	2.100 kg
34.0164	right	Reversible point	3	622128	1.900 kg
34.0165	left	Reversible point	3	622129	1.900 kg
34.0176	right	Reversible point share - 14"	5	622200 (622166) 622232	7.000 kg
34.0177	left	Reversible point share - 14"	5	622201 (622167) 622233	7.000 kg
34.0178	right	Reversible point share - 16"	5	622202 (622172) 622234	7.850 kg
34.0179	left	Reversible point share - 16"	5	622203 (622173) 622235	7.850 kg
34.0182	right	Trash board	9	619122	3.300 kg
34.0183	left	Trash board	9	619123	3.300 kg
34.0194	right	Reversible point share - 18"	5	622204 - 622236	8.760 kg
34.0195	left	Reversible point share - 18"	5	622205 - 622237	8.760 kg

TIPO H4

Part-no.	Type	Description	Pos. H4	Orig.-part.no.	Weight
34.0198	right	Reversible point	4	622180(622224)	2.060 kg
34.0199	left	Reversible point	4	622181(622225)	2.060 kg
34.0211	right	Reversible point reinforced	3	622128(622174)	2.100 kg
34.0212	left	Reversible point reinforced	3	622129(622175)	2.100 kg
34.0215	right	Reversible point DURAFACE	3	622128P	2.120 kg
34.0216	left	Reversible point DURAFACE	3	622129P	2.120 kg

TIPO H6




TIPO H6

Part-no.	Type	Description	Pos. H6	Orig.-part.no.	Weight
34.0012	right	Landside	12	278074	2.920 kg
34.0013	left	Landside	12	278075	2.920 kg
34.0014	right	Landside	11	278076	4.580 kg
34.0015	left	Landside	11	278077	4.580 kg
34.0032	—	Landside	6	279140	5.410 kg
34.0033	—	Landside	7	761108	4.700 kg
34.0036	right	Landside tip	8	223120	0.900 kg
34.0037	left	Landside tip	8	223121	0.900 kg
34.0040	right	Landside tip	8a	761106	0.900 kg
34.0041	left	Landside tip	8a	761107	0.900 kg
34.0106	right	Moldboard	1	612108	16.900 kg
34.0107	left	Moldboard	1	612109	16.900 kg
34.0138	right	Moldboard extension	10	648102	2.100 kg
34.0139	left	Moldboard extension	10	648103	2.100 kg
34.0154	right	Shin	2	619120	2.100 kg
34.0155	left	Shin	2	619121	2.100 kg
34.0164	right	Reversible point	3	622128	1.900 kg
34.0165	left	Reversible point	3	622129	1.900 kg
34.0176	right	Reversible point share - 14"	5	622200 (622166) 622232	7.000 kg
34.0177	left	Reversible point share - 14"	5	622201 (622167) 622233	7.000 kg
34.0178	right	Reversible point share - 16"	5	622202 (622172) 622234	7.850 kg
34.0179	left	Reversible point share - 16"	5	622203 (622173) 622235	7.850 kg
34.0182	right	Trash board	9	619122	3.300 kg
34.0183	left	Trash board	9	619123	3.300 kg
34.0194	right	Reversible point share - 18"	5	622204 - 622236	8.760 kg
34.0195	left	Reversible point share - 18"	5	622205 - 622237	8.760 kg
34.0198	right	Reversible point	4	622180(622224)	2.060 kg
34.0199	left	Reversible point	4	622181(622225)	2.060 kg

TIPO H6

Part-no.	Type	Description	Pos. H6	Orig.-part.no.	Weight
34.0211	right	Reversible point reinforced	3	622128(622174)	2.100 kg
34.0212	left	Reversible point reinforced	3	622129(622175)	2.100 kg
34.0215	right	Reversible point DURAFACE	3	622128P	2.120 kg
34.0216	left	Reversible point DURAFACE	3	622129P	2.120 kg


TIPO L



TIPO L

Part-no.	Type	Description	Pos. L	Orig.-part.no.	Weight
34.0032	—	Landside	7	279140	5.410 kg
34.0042	right	Landside tip	6	761110	0.900 kg
34.0043	left	Landside tip	6	761111	0.900 kg
34.0116	right	Moldboard	1	616138	17.510 kg
34.0117	left	Moldboard	1	616139	17.510 kg
34.0162	right	Shin	2	H0403520 - (619172)	2.400 kg
34.0163	left	Shin	2	H0403530 - (619173)	2.400 kg
34.0164	right	Reversible point	4	622128	1.900 kg
34.0165	left	Reversible point	4	622129	1.900 kg
34.0180	right	Reversible point share - 16"	3	622212	8.110 kg
34.0181	left	Reversible point share - 16"	3	622213	8.110 kg
34.0198	right	Reversible point	5	622180(622224)	2.060 kg
34.0199	left	Reversible point	5	622181(622225)	2.060 kg
34.0211	right	Reversible point reinforced	4	622128(622174)	2.100 kg
34.0212	left	Reversible point reinforced	4	622129(622175)	2.100 kg
34.0215	right	Reversible point DURAFACE	4	622128P	2.120 kg
34.0216	left	Reversible point DURAFACE	4	622129P	2.120 kg

TIPO N4




TIPO N4

Part-no.	Type	Description	Pos. N4	Orig.-part.no.	Weight
34.0012	right	Landside	11	278074	2.920 kg
34.0013	left	Landside	11	278075	2.920 kg
34.0014	right	Landside	10	278076	4.580 kg
34.0015	left	Landside	10	278077	4.580 kg
34.0032	—	Landside	6	279140	5.410 kg
34.0033	—	Landside	7	761108	4.700 kg
34.0038	right	Landside tip	8	279138	0.900 kg
34.0039	left	Landside tip	8	279139	0.900 kg
34.0118	right	Moldboard	1	616190	12.850 kg
34.0119	left	Moldboard	1	616191	12.850 kg
34.0138	right	Moldboard extension	9	648102	2.100 kg
34.0139	left	Moldboard extension	9	648103	2.100 kg
34.0158	right	Shin	2	619200 - H0401780	1.300 kg
34.0159	left	Shin	2	619201 - H0401790	1.300 kg
34.0164	right	Reversible point	3	622128	1.900 kg
34.0165	left	Reversible point	3	622129	1.900 kg
34.0168	right	Reversible point share - 14"	5	622134	7.200 kg
34.0169	left	Reversible point share - 14"	5	622135	7.200 kg
34.0170	right	Reversible point share - 16"	5	622136	7.200 kg
34.0171	left	Reversible point share - 16"	5	622137	7.200 kg
34.0198	right	Reversible point	4	622180(622224)	2.060 kg
34.0199	left	Reversible point	4	622181(622225)	2.060 kg
34.0211	right	Reversible point reinforced	3	622128(622174)	2.100 kg
34.0212	left	Reversible point reinforced	3	622129(622175)	2.100 kg
34.0215	right	Reversible point DURAFACE	3	622128P	2.120 kg
34.0216	left	Reversible point DURAFACE	3	622129P	2.120 kg

TIPO N4


Part-no.	Type	Description	Pos. N4	Orig.-part.no.	Weight
34.0217	right	Beak share 12"	5a	620086	8.000 kg
34.0218	left	Beak share 12"	5a	620087	8.000 kg
34.0219	right	Beak share 14"	5a	620088 - H0404460	8.500 kg
34.0220	left	Beak share 14"	5a	620089 - H0404470	8.500 kg
34.0221	right	Beak share 16"	5a	—	9.000 kg
34.0222	left	Beak share 16"	5a	—	9.000 kg

TIPO SK



Part-no.	Type	Description	Pos. SK	Orig.-part.no.	Weight
34.0032	—	Landside	6	279140	5.410 kg
34.0033	—	Landside	7	761108	4.700 kg
34.0044	right	Landside tip	8	761216	0.900 kg
34.0045	left	Landside tip	8	761217	0.900 kg
34.0120	right	Moldboard	1	616242	19.200 kg
34.0121	left	Moldboard	1	616243	19.200 kg
34.0160	right	Shin	2	619278	2.000 kg
34.0161	left	Shin	2	619279	2.000 kg
34.0164	right	Reversible point	3	622128	1.900 kg
34.0165	left	Reversible point	3	622129	1.900 kg
34.0188	right	Reversible point share - 14"	5	622328	7.620 kg
34.0189	left	Reversible point share - 14"	5	622329	7.080 kg
34.0190	right	Reversible point share - 16"	5	622330 - H0401860	7.780 kg
34.0191	left	Reversible point share - 16"	5	622331 - H0401870	7.780 kg
34.0198	right	Reversible point	4	622180(622224)	2.060 kg
34.0199	left	Reversible point	4	622181(622225)	2.060 kg
34.0211	right	Reversible point reinforced	3	622128(622174)	2.100 kg
34.0212	left	Reversible point reinforced	3	622129(622175)	2.100 kg
34.0215	right	Reversible point DURAFACE	3	622128P	2.120 kg
34.0216	left	Reversible point DURAFACE	3	622129P	2.120 kg

TIPO VL




TIPO VL

Part-no.	Type	Description	Pos. VL	Orig.-part.no.	Weight
34.0032	—	Landside	10	279140	5.410 kg
34.0042	right	Landside tip	9	761110	0.900 kg
34.0043	left	Landside tip	9	761111	0.900 kg
34.0130	right	Moldboard slat	4	H0403180	4.000 kg
34.0131	left	Moldboard slat	4	H0403190	4.000 kg
34.0132	right	Moldboard slat	3	H0403200	4.400 kg
34.0133	left	Moldboard slat	3	H0403210	4.400 kg
34.0134	right	Moldboard slat	2	H0403220	5.200 kg
34.0135	left	Moldboard slat	2	H0403230	5.200 kg
34.0136	right	Moldboard slat	1	H0403240	7.400 kg
34.0137	left	Moldboard slat	1	H0403250	7.400 kg
34.0162	right	Shin	5	H0403520 - (619172)	2.400 kg
34.0163	left	Shin	5	H0403530 - (619173)	2.400 kg
34.0164	right	Reversible point	7	622128	1.900 kg
34.0165	left	Reversible point	7	622129	1.900 kg
34.0180	right	Reversible point share - 16"	6	622212	8.110 kg
34.0181	left	Reversible point share - 16"	6	622213	8.110 kg
34.0198	right	Reversible point	8	622180(622224)	2.060 kg
34.0199	left	Reversible point	8	622181(622225)	2.060 kg
34.0211	right	Reversible point reinforced	7	622128(622174)	2.100 kg
34.0212	left	Reversible point reinforced	7	622129(622175)	2.100 kg
34.0215	right	Reversible point DURAFACE	7	622128P	2.120 kg
34.0216	left	Reversible point DURAFACE	7	622129P	2.120 kg
34.0217	right	Beak share 12"	6a	620086	8.000 kg
34.0218	left	Beak share 12"	6a	620087	8.000 kg
34.0219	right	Beak share 14"	6a	620088 - H0404460	8.500 kg

TIPO VL

Part-no.	Type	Description	Pos. VL	Orig.-part.no.	Weight
34.0220	left	Beak share 14"	6a	620089 - H0404470	8.500 kg
34.0221	right	Beak share 16"	6a	—	9.000 kg
34.0222	left	Beak share 16"	6a	—	9.000 kg

TIPO V-LP



TIPO V-LP



Part-no.	Type	Description	Pos. V-LP	Orig.-part.no.	Weight
34.0032	—	Landside	10	279140	5.410 kg
34.0033	—	Landside	11	761108	4.700 kg
34.0042	right	Landside tip	9	761110	0.900 kg
34.0043	left	Landside tip	9	761111	0.900 kg
34.0122	right	Moldboard slat	1	617100	3.670 kg
34.0123	left	Moldboard slat	1	617101	3.670 kg
34.0124	right	Moldboard slat	2	617102	4.450 kg
34.0125	left	Moldboard slat	2	617103	4.450 kg
34.0126	right	Moldboard slat	3	617104	3.470 kg
34.0127	left	Moldboard slat	3	617105	3.470 kg
34.0128	right	Moldboard slat	4	617106	3.280 kg
34.0129	left	Moldboard slat	4	617107	3.280 kg
34.0144	right	Shin	5	619060	1.400 kg
34.0145	left	Shin	5	619061	1.400 kg
34.0164	right	Reversible point	7	622128	1.900 kg
34.0165	left	Reversible point	7	622129	1.900 kg
34.0168	right	Reversible point share - 14"	6	622134	7.200 kg
34.0169	left	Reversible point share - 14"	6	622135	7.200 kg
34.0170	right	Reversible point share - 16"	6	622136	7.200 kg
34.0171	left	Reversible point share - 16"	6	622137	7.200 kg
34.0198	right	Reversible point	8	622180(622224)	2.060 kg
34.0199	left	Reversible point	8	622181(622225)	2.060 kg
34.0200	right	Reversible point share - 18"	6	622208	8.860 kg
34.0201	left	Reversible point share - 18"	6	622209	8.860 kg
34.0211	right	Reversible point reinforced	7	622128(622174)	2.100 kg
34.0212	left	Reversible point reinforced	7	622129(622175)	2.100 kg


TIPO V-LP



Part-no.	Type	Description	Pos. V- LP	Orig.-part.no.	Weight
34.0215	right	Reversible point DURAFACE	7	622128P	2.120 kg
34.0216	left	Reversible point DURAFACE	7	622129P	2.120 kg
34.0217	right	Beak share 12"	6a	620086	8.000 kg
34.0218	left	Beak share 12"	6a	620087	8.000 kg
34.0219	right	Beak share 14"	6a	620088 - H0404460	8.500 kg
34.0220	left	Beak share 14"	6a	620089 - H0404470	8.500 kg
34.0221	right	Beak share 16"	6a	—	9.000 kg
34.0222	left	Beak share 16"	6a	—	9.000 kg

KVERNELAND

TIPO 1




TIPO 1

Part-no.	Type	Description	Pos. 1	Orig.- part.no.	Weight
33.0001	right	Landside	6	KK063603	6.230 kg
33.0002	left	Landside	6	KK063604	6.230 kg
33.0003	right	Landside	7	KK063605	4.240 kg
33.0004	left	Landside	7	KK063606	4.240 kg
33.0028	right	Trash board	11	KK063-073300	3.578 kg
33.0029	left	Trash board	11	KK063-073301	3.578 kg
33.0030	right	Bracket for trash board	10	KK063-073310	2.150 kg
33.0031	left	Bracket for trash board	10	KK063-073311	2.150 kg
33.0032	right	Share knife	3	KK073091	0.800 kg
33.0033	left	Share knife	3	KK073092	0.800 kg
33.0044	right	Moldboard - 12" - 16"	1	KK063261	14.600 kg
33.0045	left	Moldboard - 12" - 16"	1	KK063271	14.600 kg
33.0066	right	Moldboard extension	12	KK053387	1.900 kg
33.0067	left	Moldboard extension	12	KK063388	1.900 kg
33.0068	right	Shin	2	KK063240	1.060 kg
33.0069	left	Shin	2	KK063250	1.060 kg
33.0076	right	Reversible point 65x12	5	KK053090	1.300 kg
33.0077	left	Reversible point 65x12	5	KK063090	1.300 kg
33.0078	right	Reversible point 70x15	5	KK053090	1.740 kg
33.0079	left	Reversible point 70x15	5	KK063090	1.740 kg
33.0080	right	Reversible point 70x13	5	KK053090	1.500 kg
33.0081	left	Reversible point 70x13	5	KK063090	1.500 kg
33.0084	right	Reversible point share - 14"	4	KK063013	5.000 kg
33.0085	left	Reversible point share - 14"	4	KK063016	5.000 kg
33.0086	right	Reversible point share - 16"	4	KK063014	5.300 kg
33.0087	left	Reversible point share - 16"	4	KK063017	5.300 kg
33.0088	right	Reversible point share - 18"	4	KK063023	6.600 kg

TIPO 1

Part-no.	Type	Description	Pos. 1	Orig.- part.no.	Weight
33.0088	right	Reversible point share - 18"	4	KK063023	6.600 kg
33.0089	left	Reversible point share - 18"	4	KK063036	6.600 kg
33.0109	—	Middle plate	9	KK063607	2.820 kg
33.0118	right	Middle plate	8	KK063608	1.720 kg
33.0119	left	Middle plate	8	KK063609	1.720 kg

TIPO 3




TIPO 3

Part-no.	Type	Description	Pos. 3	Orig.-part.no.	Weight
33.0001	right	Landside	6	KK063603	6.230 kg
33.0002	left	Landside	6	KK063604	6.230 kg
33.0003	right	Landside	7	KK063605	4.240 kg
33.0004	left	Landside	7	KK063606	4.240 kg
33.0028	right	Trash board	11	KK063-073300	3.578 kg
33.0029	left	Trash board	11	KK063-073301	3.578 kg
33.0030	right	Bracket for trash board	10	KK063-073310	2.150 kg
33.0031	left	Bracket for trash board	10	KK063 073311	2.150 kg
33.0032	right	Share knife	3	KK073091	0.800 kg
33.0033	left	Share knife	3	KK073092	0.800 kg
33.0046	right	Moldboard - 12"	1	KK063263	16.300 kg
33.0047	left	Moldboard - 12"	1	KK063273	16.300 kg
33.0048	right	Moldboard - 14" - 18"	1	KK063283	19.600 kg
33.0049	left	Moldboard - 14" - 18"	1	KK063293	19.600 kg
33.0066	right	Moldboard extension	12	KK053387	1.900 kg
33.0067	left	Moldboard extension	12	KK063388	1.900 kg
33.0068	right	Shin	2	KK063240	1.060 kg
33.0069	left	Shin	2	KK063250	1.060 kg
33.0076	right	Reversible point 65x12	5	KK053090	1.300 kg
33.0077	left	Reversible point 65x12	5	KK063090	1.300 kg
33.0078	right	Reversible point 70x15	5	KK053090	1.740 kg
33.0079	left	Reversible point 70x15	5	KK063090	1.740 kg
33.0080	right	Reversible point 70x13	5	KK053090	1.500 kg
33.0081	left	Reversible point 70x13	5	KK063090	1.500 kg
33.0084	right	Reversible point share - 14"	4	KK063013	5.000 kg
33.0085	left	Reversible point share - 14"	4	KK063016	5.000 kg
33.0086	right	Reversible point share - 16"	4	KK063014	5.300 kg
33.0087	left	Reversible point share - 16"	4	KK063017	5.300 kg
33.0088	right	Reversible point share - 18"	4	KK063023	6.600 kg

TIPO 3

Part- no.	Type	Description	Pos. 3	Orig.- part.no.	Weight
33.0089	left	Reversible point share - 18"	4	KK063036	6.600 kg
33.0109	—	Middle plate	9	KK063607	2.820 kg
33.0118	right	Middle plate	8	KK063608	1.720 kg
33.0119	left	Middle plate	8	KK063609	1.720 kg

TIPO 5




TIPO 5

Part-no.	Type	Description	Pos. 5	Orig.-part.no.	Weight
33.0001	right	Landside	6	KK063603	6.230 kg
33.0002	left	Landside	6	KK063604	6.230 kg
33.0003	right	Landside	7	KK063605	4.240 kg
33.0004	left	Landside	7	KK063606	4.240 kg
33.0028	right	Trash board	11	KK063-073300	3.578 kg
33.0029	left	Trash board	11	KK063-073301	3.578 kg
33.0030	right	Bracket for trash board	10	KK063-073310	2.150 kg
33.0031	left	Bracket for trash board	10	KK063-073311	2.150 kg
33.0032	right	Share knife	3	KK073091	0.800 kg
33.0033	left	Share knife	3	KK073092	0.800 kg
33.0042	right	Moldboard - 14" - 16"	1	KK063212	20.600 kg
33.0043	left	Moldboard - 14" - 16"	1	KK063215	20.600 kg
33.0066	right	Moldboard extension	12	KK053387	1.900 kg
33.0067	left	Moldboard extension	12	KK063388	1.900 kg
33.0068	right	Shin	2	KK063240	1.060 kg
33.0069	left	Shin	2	KK063250	1.060 kg
33.0076	right	Reversible point 65x12	5	KK053090	1.300 kg
33.0077	left	Reversible point 65x12	5	KK063090	1.300 kg
33.0078	right	Reversible point 70x15	5	KK053090	1.740 kg
33.0079	left	Reversible point 70x15	5	KK063090	1.740 kg
33.0080	right	Reversible point 70x13	5	KK053090	1.500 kg
33.0081	left	Reversible point 70x13	5	KK063090	1.500 kg
33.0084	right	Reversible point share - 14"	4	KK063013	5.000 kg
33.0085	left	Reversible point share - 14"	4	KK063016	5.000 kg
33.0086	right	Reversible point share - 16"	4	KK063014	5.300 kg
33.0087	left	Reversible point share - 16"	4	KK063017	5.300 kg
33.0088	right	Reversible point share - 18"	4	KK063023	6.600 kg
33.0089	left	Reversible point share - 18"	4	KK063036	6.600 kg

TIPO 5

Part-no.	Type	Description	Pos. 5	Orig.- part.no.	Weight
33.0109	—	Middle plate	9	KK063607	2.820 kg
33.0118	right	Middle plate	8	KK063608	1.720 kg
33.0119	left	Middle plate	8	KK063609	1.720 kg

TIPO 8




TIPO 8

Part-no.	Type	Description	Pos. 8	Orig.-part.no.	Weight
33.0005	—	Landside - 570mm	6	KK073608	5.360 kg
33.0007	—	Landside - 745mm	6	KK073609	7.873 kg
33.0010	—	Landside protector	7	KK073614	0.820 kg
33.0012	right	Landside coulter	12	KK073088	2.900 kg
33.0013	left	Landside coulter	12	KK073089	2.900 kg
33.0014	right	Landside coulter	11	KK084320	3.140 kg
33.0015	left	Landside coulter	11	KK084321	3.140 kg
33.0028	right	Trash board	9	KK063-073300	3.578 kg
33.0029	left	Trash board	9	KK063-073301	3.578 kg
33.0030	right	Bracket for trash board	8	KK063-073310	2.150 kg
33.0031	left	Bracket for trash board	8	KK063-073311	2.150 kg
33.0032	right	Share knife	3	KK073091	0.800 kg
33.0033	left	Share knife	3	KK073092	0.800 kg
33.0050	right	Moldboard - 12"	1	KK073280	17.200 kg
33.0051	left	Moldboard - 12"	1	KK073281	17.200 kg
33.0052	right	Moldboard - 14" - 18"	1	KK073286	20.620 kg
33.0053	left	Moldboard - 14" - 18"	1	KK073287	20.620 kg
33.0066	right	Moldboard extension	10	KK053387	1.900 kg
33.0067	left	Moldboard extension	10	KK063388	1.900 kg
33.0072	right	Shin	2	KK073250	1.288 kg
33.0073	left	Shin	2	KK073251	1.288 kg
33.0076	right	Reversible point 65x12	5	KK053090	1.300 kg
33.0077	left	Reversible point 65x12	5	KK063090	1.300 kg
33.0078	right	Reversible point 70x15	5	KK053090	1.740 kg
33.0079	left	Reversible point 70x15	5	KK063090	1.740 kg
33.0080	right	Reversible point 70x13	5	KK053090	1.500 kg
33.0081	left	Reversible point 70x13	5	KK063090	1.500 kg

TIPO 8

Part-no.	Type	Description	Pos. 8	Orig.- part.no.	Weight
33.0090	right	Reversible point share - 14"	4	KK073002	5.300 kg
33.0091	left	Reversible point share - 14"	4	KK073003	5.300 kg
33.0092	right	Reversible point share - 16"	4	KK073004	5.700 kg
33.0093	left	Reversible point share - 16"	4	KK073005	5.700 kg
33.0094	right	Reversible point share - 18"	4	KK073006	6.650 kg
33.0095	left	Reversible point share - 18"	4	KK073007	6.650 kg
33.0096	right	Reversible point share - 20"	4	KK073008	7.000 kg
33.0097	left	Reversible point share - 20"	4	KK073009	7.000 kg

TIPO 9




TIPO 9

Part-no.	Type	Description	Pos. 9	Orig.- part.no.	Weight
33.0005	—	Landside - 570mm	6	KK073608	5.360 kg
33.0007	—	Landside - 745mm	6	KK073609	7.873 kg
33.0010	—	Landside protector	7	KK073614	0.820 kg
33.0012	right	Landside coulter	12	KK073088	2.900 kg
33.0013	left	Landside coulter	12	KK073089	2.900 kg
33.0014	right	Landside coulter	11	KK084320	3.140 kg
33.0015	left	Landside coulter	11	KK084321	3.140 kg
33.0028	right	Trash board	9	KK063-073300	3.578 kg
33.0029	left	Trash board	9	KK063-073301	3.578 kg
33.0030	right	Bracket for trash board	8	KK063-073310	2.150 kg
33.0031	left	Bracket for trash board	8	KK063-073311	2.150 kg
33.0032	right	Share knife	3	KK073091	0.800 kg
33.0033	left	Share knife	3	KK073092	0.800 kg
33.0054	right	Moldboard - 14" - 20"	1	KK073290	20.910 kg
33.0055	left	Moldboard - 14" - 20"	1	KK073291	20.910 kg
33.0066	right	Moldboard extension	10	KK053387	1.900 kg
33.0067	left	Moldboard extension	10	KK063388	1.900 kg
33.0074	right	Shin	2	KK073256	1.560 kg
33.0075	left	Shin	2	KK073257	1.560 kg
33.0076	right	Reversible point 65x12	5	KK053090	1.300 kg
33.0077	left	Reversible point 65x12	5	KK063090	1.300 kg
33.0078	right	Reversible point 70x15	5	KK053090	1.740 kg
33.0079	left	Reversible point 70x15	5	KK063090	1.740 kg
33.0080	right	Reversible point 70x13	5	KK053090	1.500 kg
33.0081	left	Reversible point 70x13	5	KK063090	1.500 kg
33.0090	right	Reversible point share - 14"	4	KK073002	5.300 kg
33.0091	left	Reversible point share - 14"	4	KK073003	5.300 kg

TIPO 9

Part-no.	Type	Description	Pos. 9	Orig.- part.no.	Weight
33.0092	right	Reversible point share - 16"	4	KK073004	5.700 kg
33.0093	left	Reversible point share - 16"	4	KK073005	5.700 kg
33.0094	right	Reversible point share - 18"	4	KK073006	6.650 kg
33.0095	left	Reversible point share - 18"	4	KK073007	6.650 kg
33.0096	right	Reversible point share - 20"	4	KK073008	7.000 kg
33.0097	left	Reversible point share - 20"	4	KK073009	7.000 kg

TIPO 19




TIPO 19

Part-no.	Type	Description	Pos. 19	Orig.-part.no.	Weight
33.0005	—	Landside - 570mm	6	KK073608	5.360 kg
33.0007	—	Landside - 745mm	6	KK073609	7.873 kg
33.0010	—	Landside protector	7	KK073614	0.820 kg
33.0012	right	Landside coulter	12	KK073088	2.900 kg
33.0013	left	Landside coulter	12	KK073089	2.900 kg
33.0014	right	Landside coulter	11	KK084320	3.140 kg
33.0015	left	Landside coulter	11	KK084321	3.140 kg
33.0028	right	Trash board	9	KK063-073300	3.578 kg
33.0029	left	Trash board	9	KK063-073301	3.578 kg
33.0030	right	Bracket for trash board	8	KK063-073310	2.150 kg
33.0031	left	Bracket for trash board	8	KK063-073311	2.150 kg
33.0032	right	Share knife	3	KK073091	0.800 kg
33.0033	left	Share knife	3	KK073092	0.800 kg
33.0054	right	Moldboard - 14" - 20"	1	KK073290	20.910 kg
33.0055	left	Moldboard - 14" - 20"	1	KK073291	20.910 kg
33.0066	right	Moldboard extension	10	KK053387	1.900 kg
33.0067	left	Moldboard extension	10	KK063388	1.900 kg
33.0070	right	Shin	2	KK073230	1.820 kg
33.0071	left	Shin	2	KK073231	1.820 kg
33.0076	right	Reversible point 65x12	5	KK053090	1.300 kg
33.0077	left	Reversible point 65x12	5	KK063090	1.300 kg
33.0078	right	Reversible point 70x15	5	KK053090	1.740 kg
33.0079	left	Reversible point 70x15	5	KK063090	1.740 kg
33.0080	right	Reversible point 70x13	5	KK053090	1.500 kg
33.0081	left	Reversible point 70x13	5	KK063090	1.500 kg
33.0098	right	Reversible point share - 16"	4	KK073056	5.730 kg
33.0099	left	Reversible point share - 16"	4	KK073057	5.730 kg

TIPO 19

Part-no.	Type	Description	Pos. 19	Orig.- part.no.	Weight
33.0100	right	Reversible point share - 18"	4	KK073080	7.310 kg
33.0101	left	Reversible point share - 18"	4	KK073081	7.310 kg
33.0102	right	Reversible point share - 20"	4	KK073084	7.400 kg
33.0103	left	Reversible point share - 20"	4	KK073085	7.400 kg

TIPO 28




TIPO 28

Part-no.	Type	Description	Pos. 28	Orig.- part.no.	Weight
33.0005	—	Landside - 570mm	6	KK073608	5.360 kg
33.0007	—	Landside - 745mm	6	KK073609	7.873 kg
33.0010	—	Landside protector	7	KK073614	0.820 kg
33.0012	right	Landside coulter	12	KK073088	2.900 kg
33.0014	right	Landside coulter	11	KK084320	3.140 kg
33.0015	left	Landside coulter	11	KK084321	3.140 kg
33.0028	right	Trash board	9	KK063-073300	3.578 kg
33.0029	left	Trash board	9	KK063-073301	3.578 kg
33.0030	right	Bracket for trash board	8	KK063-073310	2.150 kg
33.0031	left	Bracket for trash board	8	KK063-073311	2.150 kg
33.0032	right	Share knife	3	KK073091	0.800 kg
33.0033	left	Share knife	3	KK073092	0.800 kg
33.0056	right	Moldboard - 14" - 20"	1	KK083228	25.010 kg
33.0057	left	Moldboard - 14" - 20"	1	KK083229	25.010 kg
33.0066	right	Moldboard extension	10	KK053387	1.900 kg
33.0067	left	Moldboard extension	10	KK063388	1.900 kg
33.0072	right	Shin	2	KK073250	1.288 kg
33.0073	left	Shin	2	KK073251	1.288 kg
33.0076	right	Reversible point 65x12	5	KK053090	1.300 kg
33.0077	left	Reversible point 65x12	5	KK063090	1.300 kg
33.0078	right	Reversible point 70x15	5	KK053090	1.740 kg
33.0079	left	Reversible point 70x15	5	KK063090	1.740 kg
33.0080	right	Reversible point 70x13	5	KK053090	1.500 kg
33.0081	left	Reversible point 70x13	5	KK063090	1.500 kg
33.0090	right	Reversible point share - 14"	4	KK073002	5.300 kg
33.0091	left	Reversible point share - 14"	4	KK073003	5.300 kg
33.0092	right	Reversible point share - 16"	4	KK073004	5.700 kg
33.0093	left	Reversible point share - 16"	4	KK073005	5.700 kg

TIPO 28

Part-no.	Type	Description	Pos. 28	Orig.-part.no.	Weight
33.0094	right	Reversible point share - 18"	4	KK073006	6.650 kg
33.0095	left	Reversible point share - 18"	4	KK073007	6.650 kg
33.0096	right	Reversible point share - 20"	4	KK073008	7.000 kg
33.0097	left	Reversible point share - 20"	4	KK073009	7.000 kg

TIPO 30




TIPO 30

Part-no.	Type	Description	Pos. 30	Orig.-part.no.	Weight
33.0005	—	Landside - 570mm	9	KK073608	5.360 kg
33.0007	—	Landside - 745mm	9	KK073609	7.873 kg
33.0010	—	Landside protector	10	KK073614	0.820 kg
33.0012	right	Landside coulter	14	KK073088	2.900 kg
33.0013	left	Landside coulter	14	KK073089	2.900 kg
33.0014	right	Landside coulter	13	KK084320	3.140 kg
33.0015	left	Landside coulter	13	KK084321	3.140 kg
33.0028	right	Trash board	12	KK063-073300	3.578 kg
33.0029	left	Trash board	12	KK063-073301	3.578 kg
33.0030	right	Bracket for trash board	11	KK063-073310	2.150 kg
33.0031	left	Bracket for trash board	11	KK063-073311	2.150 kg
33.0032	right	Share knife	7	KK073091	0.800 kg
33.0033	left	Share knife	7	KK073092	0.800 kg
33.0058	right	Slat	1	KK083211	6.800 kg
33.0059	left	Moldboard slat	1	KK083221	6.800 kg
33.0060	right	Slat	2	KK083212	5.130 kg
33.0061	left	Slat	2	KK083222	5.130 kg
33.0062	right	Moldboard slat	3	KK083213	4.250 kg
33.0063	left	Slat	3	KK083223	4.250 kg
33.0064	right	Slat	4	KK083214	3.570 kg
33.0065	left	Slat	4	KK083224	3.570 kg
33.0070	right	Shin	5	KK073230	1.820 kg
33.0071	left	Shin	5	KK073231	1.820 kg
33.0076	right	Reversible point 65x12	6	KK053090	1.300 kg
33.0077	left	Reversible point 65x12	6	KK063090	1.300 kg
33.0078	right	Reversible point 70x15	6	KK053090	1.740 kg
33.0079	left	Reversible point 70x15	6	KK063090	1.740 kg
33.0080	right	Reversible point 70x13	6	KK053090	1.500 kg
33.0081	left	Reversible point 70x13	6	KK063090	1.500 kg

TIPO 30

Part-no.	Type	Description	Pos. 30	Orig.- part.no.	Weight
33.0098	right	Reversible point share - 16"	8	KK073056	5.730 kg
33.0099	left	Reversible point share - 16"	8	KK073057	5.730 kg
33.0100	right	Reversible point share - 18"	8	KK073080	7.310 kg
33.0101	left	Reversible point share - 18"	8	KK073081	7.310 kg
33.0102	right	Reversible point share - 20"	8	KK073084	7.400 kg
33.0103	left	Reversible point share - 20"	8	KK073085	7.400 kg

TIPO Hydrein-Agrator




TIPO Hydrein-Agrator



Part-no.	Type	Description	Pos. Hydrein / Agrator	Orig.- part.no.	Weight
33.0009	—	Landside protector	7	KK063600A	1.380 kg
33.0032	right	Share knife	4	KK073091	0.800 kg
33.0076	right	Reversible point 65x12	3	KK053090	1.300 kg
33.0078	right	Reversible point 70x15	3	KK053090	1.740 kg
33.0080	right	Reversible point 70x13	3	KK053090	1.500 kg
33.0113	right	Moldboard Hydrein 14"	1	KK053262	15.600 kg
33.0114	right	Moldboard Hydrein 16"	1	KK053264	17.800 kg
33.0115	right	Moldboard Agrator 12" - 14"	1	KK053226	16.400 kg
33.0138	right	Reversible point share - 14"	2	KK053087	4.300 kg
33.0139	right	Reversible point share - 16"	2	KK053088	4.900 kg
33.0140	right	Landside	5	KK053683	6.900 kg
33.0141	right	Landside	6	KK053684	5.200 kg

LEMKEN

TIPO B30



TIPO B30




Part-no.	Type	Description	Pos. B30	Orig.-part.no.	Weight
32.0001	—	Landside A42	5	3411504	4.470 kg
32.0002	—	Landside A42H	5	3411460	6.800 kg
32.0004	—	Landside A36	5	3411500	3.960 kg
32.0005	—	Landside A36H	5	3411508	6.000 kg
32.0007	—	Landside protector SC18	7	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	9	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	9	3492891	1.350 kg
32.0031	right	Trash board E4 R	11	3470860	3.360 kg
32.0032	left	Trash board E4 L	11	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	4	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	4	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	12	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	12	3401481	0.990 kg
32.0037	right	Share wing 10x150 SB36 R	3	3352010	3.130 kg
32.0038	left	Share wing 10x150 SB36 L	3	3352011	3.130 kg
32.0039	right	Share wing 11x150 SB43D R	3	3352120	4.150 kg
32.0040	left	Share wing 11x150 SB43D L	3	3352121	4.150 kg
32.0047	right	Share wing reinforced 11x150 SB43P R	3	3352220	4.050 kg
32.0048	left	Share wing reinforced 11x150 SB43P L	3	3352221	4.050 kg
32.0053	right	Share point B2S R - 12mm	6	3364050	2.030 kg
32.0054	left	Share point B2S L - 12mm	6	3364051	2.030 kg
32.0059	right	Share point reinforced B2SP R - 15mm	6	3364150	2.850 kg
32.0060	left	Share point reinforced B2SP L - 15mm	6	3364151	2.850 kg
32.0065	right	Moldboard B30B R	1	3441030	13.000 kg
32.0066	left	Moldboard B30B L	1	3441031	13.000 kg
32.0087	right	Moldboard extension ST4 R	10	3476000	1.320 kg
32.0088	left	Moldboard extension ST4 L	10	3476001	1.320 kg
32.0089	right	Shin B2K R 8mm	2	3451000	2.360 kg
32.0090	left	Shin B2K L 8mm	2	3451001	2.360 kg

TIPO B30



Part-no.	Type	Description	Pos. B30	Orig.-part.no.	Weight
32.0091	right	Shin B2KD R 10mm	2	3451002	2.980 kg
32.0092	left	Shin B2KD L 10mm	2	3451003	2.980 kg
32.0095	right	Shin B2KH R	2	3451010	2.600 kg
32.0096	left	Shin B2KH L	2	3451011	2.610 kg
32.0101	right	Reversible point S2W R - 10mm	8	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	8	3365541	1.810 kg

TIPO B35



TIPO B35


Part-no.	Type	Description	Pos. B35	Orig.- part.no.	Weight
32.0001	—	Landside A42	5	3411504	4.470 kg
32.0002	—	Landside A42H	5	3411460	6.800 kg
32.0004	—	Landside A36	5	3411500	3.960 kg
32.0005	—	Landside A36H	5	3411508	6.000 kg
32.0007	—	Landside protector SC18	7	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	9	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	9	3492891	1.350 kg
32.0031	right	Trash board E4 R	11	3470860	3.360 kg
32.0032	left	Trash board E4 L	11	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	4	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	4	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	12	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	12	3401481	0.990 kg
32.0041	right	Share wing 11x150 SB45D R	3	3352130	4.610 kg
32.0042	left	Share wing 11x150 SB45D L	3	3352131	4.610 kg
32.0049	right	Share wing reinforced 11x150 SB45P R	3	3352230	4.227 kg
32.0050	left	Share wing reinforced 11x150 SB45P L	3	3352231	4.227 kg
32.0053	right	Share point B2S R - 12mm	6	3364050	2.030 kg
32.0054	left	Share point B2S L - 12mm	6	3364051	2.030 kg
32.0059	right	Share point reinforced B2SP R - 15mm	6	3364150	2.850 kg
32.0060	left	Share point reinforced B2SP L - 15mm	6	3364151	2.850 kg
32.0067	right	Moldboard B35B R	1	3441034	15.600 kg
32.0068	left	Moldboard B35B L	1	3441035	15.600 kg
32.0087	right	Moldboard extension ST4 R	10	3476000	1.320 kg
32.0088	left	Moldboard extension ST4 L	10	3476001	1.320 kg
32.0089	right	Shin B2K R 8mm	2	3451000	2.360 kg
32.0090	left	Shin B2K L 8mm	2	3451001	2.360 kg

TIPO B35



Part-no.	Type	Description	Pos. B35	Orig.-part.no.	Weight
32.0091	right	Shin B2KD R 10mm	2	3451002	2.980 kg
32.0092	left	Shin B2KD L 10mm	2	3451003	2.980 kg
32.0095	right	Shin B2KH R	2	3451010	2.600 kg
32.0096	left	Shin B2KH L	2	3451011	2.610 kg
32.0101	right	Reversible point S2W R - 10mm	8	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	8	3365541	1.810 kg

TIPO B40



TIPO B40


Part-no.	Type	Description	Pos. B40	Orig.- part.no.	Weight
32.0001	—	Landside A42	5	3411504	4.470 kg
32.0002	—	Landside A42H	5	3411460	6.800 kg
32.0004	—	Landside A36	5	3411500	3.960 kg
32.0005	—	Landside A36H	5	3411508	6.000 kg
32.0007	—	Landside protector SC18	7	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	9	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	9	3492891	1.350 kg
32.0031	right	Trash board E4 R	11	3470860	3.360 kg
32.0032	left	Trash board E4 L	11	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	4	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	4	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	12	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	12	3401481	0.990 kg
32.0041	right	Share wing 11x150 SB45D R	3	3352130	4.610 kg
32.0042	left	Share wing 11x150 SB45D L	3	3352131	4.610 kg
32.0049	right	Share wing reinforced 11x150 SB45P R	3	3352230	4.227 kg
32.0050	left	Share wing reinforced 11x150 SB45P L	3	3352231	4.227 kg
32.0053	right	Share point B2S R - 12mm	6	3364050	2.030 kg
32.0054	left	Share point B2S L - 12mm	6	3364051	2.030 kg
32.0059	right	Share point reinforced B2SP R - 15mm	6	3364150	2.850 kg
32.0060	left	Share point reinforced B2SP L - 15mm	6	3364151	2.850 kg
32.0069	right	Moldboard B40B R	1	3441040	18.140 kg
32.0070	left	Moldboard B40B L	1	3441041	18.140 kg
32.0087	right	Moldboard extension ST4 R	10	3476000	1.320 kg
32.0088	left	Moldboard extension ST4 L	10	3476001	1.320 kg
32.0089	right	Shin B2K R 8mm	2	3451000	2.360 kg
32.0090	left	Shin B2K L 8mm	2	3451001	2.360 kg

TIPO B40



Part-no.	Type	Description	Pos. B40	Orig.-part.no.	Weight
32.0091	right	Shin B2KD R 10mm	2	3451002	2.980 kg
32.0092	left	Shin B2KD L 10mm	2	3451003	2.980 kg
32.0095	right	Shin B2KH R	2	3451010	2.600 kg
32.0096	left	Shin B2KH L	2	3451011	2.610 kg
32.0101	right	Reversible point S2W R - 10mm	8	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	8	3365541	1.810 kg

TIPO BS20



TIPO BS20




Part-no.	Type	Description	Pos. BS20	Orig.- part.no.	Weight
32.0001	—	Landside A42	9	3411504	4.470 kg
32.0002	—	Landside A42H	9	3411460	6.800 kg
32.0004	—	Landside A36	9	3411500	3.960 kg
32.0005	—	Landside A36H	9	3411508	6.000 kg
32.0007	—	Landside protector SC18	11	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	13	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	13	3492891	1.350 kg
32.0031	right	Trash board E4 R	14	3470860	3.360 kg
32.0032	left	Trash board E4 L	14	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	8	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	8	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	15	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	15	3401481	0.990 kg
32.0037	right	Share wing 10x150 SB36 R	7	3352010	3.130 kg
32.0038	left	Share wing 10x150 SB36 L	7	3352011	3.130 kg
32.0039	right	Share wing 11x150 SB43D R	7	3352120	4.150 kg
32.0040	left	Share wing 11x150 SB43D L	7	3352121	4.150 kg
32.0047	right	Share wing reinforced 11x150 SB43P R	7	3352220	4.050 kg
32.0048	left	Share wing reinforced 11x150 SB43P L	7	3352221	4.050 kg
32.0053	right	Share point B2S R - 12mm	10	3364050	2.030 kg
32.0054	left	Share point B2S L - 12mm	10	3364051	2.030 kg
32.0059	right	Share point reinforced B2SP R - 15mm	10	3364150	2.850 kg
32.0060	left	Share point reinforced B2SP L - 15mm	10	3364151	2.850 kg
32.0075	right	Moldboard slat BS42 R - 544	4	3444010	2.960 kg
32.0076	left	Moldboard slat BS42 L - 544	4	3444011	2.960 kg
32.0077	right	Moldboard slat BS42 R - 561x120	5	3444012	4.800 kg
32.0078	left	Moldboard slat BS42 L - 561x120	5	3444013	4.800 kg
32.0089	right	Shin B2K R 8mm	6	3451000	2.360 kg

TIPO BS20



Part-no.	Type	Description	Pos. BS20	Orig.- part.no.	Weight
32.0090	left	Shin B2K L 8mm	6	3451001	2.360 kg
32.0091	right	Shin B2KD R 10mm	6	3451002	2.980 kg
32.0092	left	Shin B2KD L 10mm	6	3451003	2.980 kg
32.0095	right	Shin B2KH R	6	3451010	2.600 kg
32.0096	left	Shin B2KH L	6	3451011	2.610 kg
32.0101	right	Reversible point S2W R - 10mm	12	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	12	3365541	1.810 kg
32.0109	right	Moldboard slat BS20 R - 587	3	3444024	2.600 kg
32.0110	left	Moldboard slat BS20 L - 587	3	3444025	2.600 kg
32.0111	right	Moldboard slat BS20 R - 740	2	3444034	3.300 kg
32.0112	left	Moldboard slat BS20 L - 740	2	3444035	3.300 kg
32.0113	right	Moldboard slat BS20 R - 825	1	3444044	3.700 kg
32.0114	left	Moldboard slat BS20 L - 825	1	3444045	3.700 kg

TIPO BS40



TIPO BS40




Part-no.	Type	Description	Pos. BS40	Orig.-part.no.	Weight
32.0001	—	Landside A42	9	3411504	4.470 kg
32.0002	—	Landside A42H	9	3411460	6.800 kg
32.0004	—	Landside A36	9	3411500	3.960 kg
32.0005	—	Landside A36H	9	3411508	6.000 kg
32.0007	—	Landside protector SC18	11	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	13	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	13	3492891	1.350 kg
32.0031	right	Trash board E4 R	14	3470860	3.360 kg
32.0032	left	Trash board E4 L	14	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	8	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	8	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	15	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	15	3401481	0.990 kg
32.0041	right	Share wing 11x150 SB45D R	7	3352130	4.610 kg
32.0042	left	Share wing 11x150 SB45D L	7	3352131	4.610 kg
32.0049	right	Share wing reinforced 11x150 SB45P R	7	3352230	4.227 kg
32.0050	left	Share wing reinforced 11x150 SB45P L	7	3352231	4.227 kg
32.0053	right	Share point B2S R - 12mm	10	3364050	2.030 kg
32.0054	left	Share point B2S L - 12mm	10	3364051	2.030 kg
32.0059	right	Share point reinforced B2SP R - 15mm	10	3364150	2.850 kg
32.0060	left	Share point reinforced B2SP L - 15mm	10	3364151	2.850 kg
32.0075	right	Moldboard slat BS42 R - 544	4	3444010	2.960 kg
32.0076	left	Moldboard slat BS42 L - 544	4	3444011	2.960 kg
32.0077	right	Moldboard slat BS42 R - 561x120	5	3444012	4.800 kg
32.0078	left	Moldboard slat BS42 L - 561x120	5	3444013	4.800 kg
32.0079	right	Moldboard slat BS42 R - 677	3	3444020	3.100 kg
32.0080	left	Moldboard slat BS42 L - 677	3	3444021	3.100 kg
32.0081	right	Moldboard slat BS42 R - 950	2	3444030	4.400 kg

TIPO BS40



Part-no.	Type	Description	Pos. BS40	Orig.-part.no.	Weight
32.0082	left	Moldboard slat BS42 L - 950	2	3444031	4.400 kg
32.0083	right	Moldboard slat BS40 R - 985	1	3444040	4.200 kg
32.0084	left	Moldboard slat BS40 L - 985	1	3444041	4.200 kg
32.0089	right	Shin B2K R 8mm	6	3451000	2.360 kg
32.0090	left	Shin B2K L 8mm	6	3451001	2.360 kg
32.0091	right	Shin B2KD R 10mm	6	3451002	2.980 kg
32.0092	left	Shin B2KD L 10mm	6	3451003	2.980 kg
32.0095	right	Shin B2KH R	6	3451010	2.600 kg
32.0096	left	Shin B2KH L	6	3451011	2.610 kg
32.0101	right	Reversible point S2W R - 10mm	12	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	12	3365541	1.810 kg

TIPO BS42



TIPO BS42




Part-no.	Type	Description	Pos. BS42	Orig.- part.no.	Weight
32.0001	—	Landside A42	9	3411504	4.470 kg
32.0002	—	Landside A42H	9	3411460	6.800 kg
32.0004	—	Landside A36	9	3411500	3.960 kg
32.0005	—	Landside A36H	9	3411508	6.000 kg
32.0007	—	Landside protector SC18	11	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	13	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	13	3492891	1.350 kg
32.0031	right	Trash board E4 R	14	3470860	3.360 kg
32.0032	left	Trash board E4 L	14	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	8	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	8	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	15	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	15	3401481	0.990 kg
32.0043	right	Share wing 11x150 SB56D R	7	3352134	5.000 kg
32.0044	left	Share wing 11x150 SB56D L	7	3352135	5.000 kg
32.0051	right	Share wing reinforced 11x150 SB56P R	7	3352234	4.780 kg
32.0052	left	Share wing reinforced 11x150 SB56P L	7	3352235	4.780 kg
32.0053	right	Share point B2S R - 12mm	10	3364050	2.030 kg
32.0054	left	Share point B2S L - 12mm	10	3364051	2.030 kg
32.0059	right	Share point reinforced B2SP R - 15mm	10	3364150	2.850 kg
32.0060	left	Share point reinforced B2SP L - 15mm	10	3364151	2.850 kg
32.0075	right	Moldboard slat BS42 R - 544	4	3444010	2.960 kg
32.0076	left	Moldboard slat BS42 L - 544	4	3444011	2.960 kg
32.0077	right	Moldboard slat BS42 R - 561x120	5	3444012	4.800 kg
32.0078	left	Moldboard slat BS42 L - 561x120	5	3444013	4.800 kg
32.0079	right	Moldboard slat BS42 R - 677	3	3444020	3.100 kg
32.0080	left	Moldboard slat BS42 L - 677	3	3444021	3.100 kg

TIPO BS42



Part-no.	Type	Description	Pos. BS42	Orig.-part.no.	Weight
32.0081	right	Moldboard slat BS42 R - 950	2	3444030	4.400 kg
32.0082	left	Moldboard slat BS42 L - 950	2	3444031	4.400 kg
32.0085	right	Moldboard slat BS42 R - 985x120	1	3444042	9.100 kg
32.0086	left	Moldboard slat BS42 L - 985x120	1	3444043	9.100 kg
32.0089	right	Shin B2K R 8mm	6	3451000	2.360 kg
32.0090	left	Shin B2K L 8mm	6	3451001	2.360 kg
32.0091	right	Shin B2KD R 10mm	6	3451002	2.980 kg
32.0092	left	Shin B2KD L 10mm	6	3451003	2.980 kg
32.0095	right	Shin B2KH R	6	3451010	2.600 kg
32.0096	left	Shin B2KH L	6	3451011	2.610 kg
32.0101	right	Reversible point S2W R - 10mm	12	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	12	3365541	1.810 kg
32.0179	right	Share wing 11x150 SB58D R	7	3352138	5.600 kg
32.0180	left	Share wing 11x150 SB58D L	7	3352139	5.600 kg

TIPO C40




TIPO C40



Part-no.	Type	Description	Pos. C40	Orig.-part.no.	Weight
32.0001	—	Landside A42	5	3411504	4.470 kg
32.0002	—	Landside A42H	5	3411460	6.800 kg
32.0007	—	Landside protector SC18	7	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	9	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	9	3492891	1.350 kg
32.0031	right	Trash board E4 R	11	3470860	3.360 kg
32.0032	left	Trash board E4 L	11	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	4	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	4	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	12	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	12	3401481	0.990 kg
32.0039	right	Share wing 11x150 SB43D R	3	3352120	4.150 kg
32.0040	left	Share wing 11x150 SB43D L	3	3352121	4.150 kg
32.0047	right	Share wing reinforced 11x150 SB43P R	3	3352220	4.050 kg
32.0048	left	Share wing reinforced 11x150 SB43P L	3	3352221	4.050 kg
32.0057	right	Share point C2S R - 12mm	6	3364054	2.030 kg
32.0058	left	Share point C2S L - 12mm	6	3364055	2.030 kg
32.0061	right	Share point reinforced C2SP R - 15mm	6	3364154	2.850 kg
32.0062	left	Share point reinforced C2SP L - 15mm	6	3364155	2.850 kg
32.0071	right	Moldboard C40B R	1	3441140	17.300 kg
32.0072	left	Moldboard C40B L	1	3441141	17.300 kg
32.0087	right	Moldboard extension ST4 R	10	3476000	1.320 kg
32.0088	left	Moldboard extension ST4 L	10	3476001	1.320 kg
32.0093	right	Shin C2K R	2	3451004	2.207 kg
32.0094	left	Shin C2K L	2	3451005	2.207 kg
32.0101	right	Reversible point S2W R - 10mm	8	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	8	3365541	1.810 kg
32.0115	—	Landside A48	5	3411450	5.220 kg

TIPO CS40



TIPO CS40




Part-no.	Type	Description	Pos. CS40	Orig.-part.no.	Weight
32.0001	—	Landside A42	11	3411504	4.470 kg
32.0002	—	Landside A42H	11	3411460	6.800 kg
32.0007	—	Landside protector SC18	12	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	10	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	10	3492891	1.350 kg
32.0031	right	Trash board E4 R	13	3470860	3.360 kg
32.0032	left	Trash board E4 L	13	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	6	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	6	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	14	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	14	3401481	0.990 kg
32.0043	right	Share wing 11x150 SB56D R	8	3352134	5.000 kg
32.0044	left	Share wing 11x150 SB56D L	8	3352135	5.000 kg
32.0051	right	Share wing reinforced 11x150 SB56P R	8	3352234	4.780 kg
32.0052	left	Share wing reinforced 11x150 SB56P L	8	3352235	4.780 kg
32.0057	right	Share point C2S R - 12mm	7	3364054	2.030 kg
32.0058	left	Share point C2S L - 12mm	7	3364055	2.030 kg
32.0061	right	Share point reinforced C2SP R - 15mm	7	3364154	2.850 kg
32.0062	left	Share point reinforced C2SP L - 15mm	7	3364155	2.850 kg
32.0093	right	Shin C2K R	5	3451004	2.207 kg
32.0094	left	Shin C2K L	5	3451005	2.207 kg
32.0101	right	Reversible point S2W R - 10mm	9	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	9	3365541	1.810 kg
32.0115	—	Landside A48	11	3411450	5.220 kg
32.0117	right	Moldboard slat CS40 R	4	3444018	3.750 kg
32.0118	left	Moldboard slat CS40 L	4	3444019	3.750 kg
32.0119	right	Moldboard slat CS40 R	3	3444028	3.970 kg
32.0120	left	Moldboard slat CS40 L	3	3444029	3.970 kg

TIPO CS40



Part-no.	Type	Description	Pos. CS40	Orig.-part.no.	Weight
32.0121	right	Moldboard slat CS40 R	2	3444038	4.550 kg
32.0122	left	Moldboard slat CS40 L	2	3444039	4.550 kg
32.0123	right	Moldboard slat CS40 R	1	3444048	5.150 kg
32.0124	left	Moldboard slat CS40 L	1	3444049	5.150 kg


TIPO DRA MAXX_CS40-CS50



TIPO DRA MAXX_CS40-CS50



Part-no.	Type	Description	Pos. DuraMaxx / CS40 - CS50	Orig.- part.no.	Weight
32.0008	right	Landside coulter AS2 R	6	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	6	3492891	1.350 kg
32.0039	right	Share wing 11x150 SB43D R	1	3352120	4.150 kg
32.0040	left	Share wing 11x150 SB43D L	1	3352121	4.150 kg
32.0041	right	Share wing 11x150 SB45D R	2	3352130	4.610 kg
32.0042	left	Share wing 11x150 SB45D L	2	3352131	4.610 kg
32.0043	right	Share wing 11x150 SB56D R	3	3352134	5.000 kg
32.0044	left	Share wing 11x150 SB56D L	3	3352135	5.000 kg
32.0047	right	Share wing reinforced 11x150 SB43P R	1	3352220	4.050 kg
32.0048	left	Share wing reinforced 11x150 SB43P L	1	3352221	4.050 kg
32.0049	right	Share wing reinforced 11x150 SB45P R	2	3352230	4.227 kg
32.0050	left	Share wing reinforced 11x150 SB45P L	2	3352231	4.227 kg
32.0051	right	Share wing reinforced 11x150 SB56P R	3	3352234	4.780 kg
32.0052	left	Share wing reinforced 11x150 SB56P L	3	3352235	4.780 kg
32.0175	—	Landside DMV1	4	—	6.050 kg
32.0176	—	Landside-Tip AK12	5	—	0.970 kg
32.0179	right	Share wing 11x150 SB58D R	3	3352138	5.600 kg
32.0180	left	Share wing 11x150 SB58D L	3	3352139	5.600 kg




TIPO DURA MAXX_ W40-W52



Part-no.	Type	Description	Pos. DuraMaxx / W40 - W52	Orig.- part.no.	Weight
32.0008	right	Landside coulter AS2 R	6	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	6	3492891	1.350 kg
32.0039	right	Share wing 11x150 SB43D R	1	3352120	4.150 kg
32.0040	left	Share wing 11x150 SB43D L	1	3352121	4.150 kg
32.0041	right	Share wing 11x150 SB45D R	2	3352130	4.610 kg
32.0042	left	Share wing 11x150 SB45D L	2	3352131	4.610 kg
32.0043	right	Share wing 11x150 SB56D R	3	3352134	5.000 kg
32.0044	left	Share wing 11x150 SB56D L	3	3352135	5.000 kg
32.0047	right	Share wing reinforced 11x150 SB43P R	1	3352220	4.050 kg
32.0048	left	Share wing reinforced 11x150 SB43P L	1	3352221	4.050 kg
32.0049	right	Share wing reinforced 11x150 SB45P R	2	3352230	4.227 kg
32.0050	left	Share wing reinforced 11x150 SB45P L	2	3352231	4.227 kg
32.0051	right	Share wing reinforced 11x150 SB56P R	3	3352234	4.780 kg
32.0052	left	Share wing reinforced 11x150 SB56P L	3	3352235	4.780 kg
32.0175	—	Landside DMV1	4	—	6.050 kg
32.0176	—	Landside-Tip AK12	5	—	0.970 kg
32.0179	right	Share wing 11x150 SB58D R	3	3352138	5.600 kg
32.0180	left	Share wing 11x150 SB58D L	3	3352139	5.600 kg

TIPO NBU1B




TIPO NBU1B



Part-no.	Type	Description	Pos. NBU1B	Orig.-part.no.	Weight
32.0003	—	Landside A1VL	6	3401570	3.800 kg
32.0006	—	Landside A1	6	3411826	4.960 kg
32.0010	right	Landside coulter AS1 R	9	3492900	2.640 kg
32.0011	left	Landside coulter AS1 L	9	3492901	2.640 kg
32.0101	right	Reversible point S2W R - 10mm	5	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	5	3365541	1.810 kg
32.0125	right	Shin BU2K R	2	3450524	2.200 kg
32.0126	left	Shin BU2K L	2	3450525	2.200 kg
32.0139	right	Moldboard NBU1B R	1	3440718	14.800 kg
32.0140	left	Moldboard NBU1B L	1	3440719	14.800 kg
32.0153	right	Share point WG2S R	4	3363986	2.500 kg
32.0154	left	Share point WG2S L	4	3363987	2.500 kg
32.0169	right	Share wing WG100B R	3	3351958	3.380 kg
32.0170	left	Share wing WG100B L	3	3351959	3.380 kg
32.0181	—	Landside protector SC12	7	3401550	1.860 kg
32.0182	right	Moldboard extension ST3 R	8	3475288	1.970 kg
32.0183	left	Moldboard extension ST3 L	8	3475289	1.970 kg

TIPO NBU2B




TIPO NBU2B



Part-no.	Type	Description	Pos. NBU2B	Orig.-part.no.	Weight
32.0003	—	Landside A1VL	6	3401570	3.800 kg
32.0006	—	Landside A1	6	3411826	4.960 kg
32.0010	right	Landside coulter AS1 R	9	3492900	2.640 kg
32.0011	left	Landside coulter AS1 L	9	3492901	2.640 kg
32.0101	right	Reversible point S2W R - 10mm	5	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	5	3365541	1.810 kg
32.0125	right	Shin BU2K R	2	3450524	2.200 kg
32.0126	left	Shin BU2K L	2	3450525	2.200 kg
32.0129	right	Moldboard NBU2B R	1	3440716	13.400 kg
32.0130	left	Moldboard NBU2B L	1	3440717	13.400 kg
32.0153	right	Share point WG2S R	4	3363986	2.500 kg
32.0154	left	Share point WG2S L	4	3363987	2.500 kg
32.0167	right	Share wing WG10B R	3	3351956	2.360 kg
32.0168	left	Share wing WG10B L	3	3351957	2.360 kg
32.0181	—	Landside protector SC12	7	3401550	1.860 kg
32.0182	right	Moldboard extension ST3 R	8	3475288	1.970 kg
32.0183	left	Moldboard extension ST3 L	8	3475289	1.970 kg

TIPO US35



TIPO US35




Part-no.	Type	Description	Pos. US35	Orig.-part.no.	Weight
32.0001	—	Landside A42	8	3411504	4.470 kg
32.0002	—	Landside A42H	8	3411460	6.800 kg
32.0004	—	Landside A36	8	3411500	3.960 kg
32.0005	—	Landside A36H	8	3411508	6.000 kg
32.0007	—	Landside protector SC18	10	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	12	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	12	3492891	1.350 kg
32.0031	right	Trash board E4 R	13	3470860	3.360 kg
32.0032	left	Trash board E4 L	13	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	7	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	7	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	14	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	14	3401481	0.990 kg
32.0041	right	Share wing 11x150 SB45D R	6	3352130	4.610 kg
32.0042	left	Share wing 11x150 SB45D L	6	3352131	4.610 kg
32.0049	right	Share wing reinforced 11x150 SB45P R	6	3352230	4.227 kg
32.0050	left	Share wing reinforced 11x150 SB45P L	6	3352231	4.227 kg
32.0053	right	Share point B2S R - 12mm	9	3364050	2.030 kg
32.0054	left	Share point B2S L - 12mm	9	3364051	2.030 kg
32.0059	right	Share point reinforced B2SP R - 15mm	9	3364150	2.850 kg
32.0060	left	Share point reinforced B2SP L - 15mm	9	3364151	2.850 kg
32.0089	right	Shin B2K R 8mm	5	3451000	2.360 kg
32.0090	left	Shin B2K L 8mm	5	3451001	2.360 kg
32.0091	right	Shin B2KD R 10mm	5	3451002	2.980 kg
32.0092	left	Shin B2KD L 10mm	5	3451003	2.980 kg
32.0095	right	Shin B2KH R	5	3451010	2.600 kg

TIPO US35



Part-no.	Type	Description	Pos. US35	Orig.-part.no.	Weight
32.0096	left	Shin B2KH L	5	3451011	2.610 kg
32.0101	right	Reversible point S2W R - 10mm	11	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	11	3365541	1.810 kg
32.0131	right	Moldboard slat US35 R - 620	4	3444110	4.220 kg
32.0132	left	Moldboard slat US35 L - 620	4	3444111	4.220 kg
32.0133	right	Moldboard slat US35 R - 730	3	3444120	4.130 kg
32.0134	left	Moldboard slat US35 L - 730	3	3444121	4.130 kg
32.0135	right	Moldboard slat US35 R - 870	2	3444130	4.790 kg
32.0136	left	Moldboard slat US35 L - 870	2	3444131	4.790 kg
32.0147	right	Moldboard slat US35 R - 772	1	3444134	4.050 kg
32.0148	left	Moldboard slat US35 L - 772	1	3444135	4.050 kg

TIPO US40



TIPO US40


Part-no.	Type	Description	Pos. US40	Orig.-part.no.	Weight
32.0001	—	Landside A42	8	3411504	4.470 kg
32.0002	—	Landside A42H	8	3411460	6.800 kg
32.0004	—	Landside A36	8	3411500	3.960 kg
32.0005	—	Landside A36H	8	3411508	6.000 kg
32.0007	—	Landside protector SC18	10	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	12	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	12	3492891	1.350 kg
32.0031	right	Trash board E4 R	13	3470860	3.360 kg
32.0032	left	Trash board E4 L	13	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	7	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	7	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	14	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	14	3401481	0.990 kg
32.0041	right	Share wing 11x150 SB45D R	6	3352130	4.610 kg
32.0042	left	Share wing 11x150 SB45D L	6	3352131	4.610 kg
32.0049	right	Share wing reinforced 11x150 SB45P R	6	3352230	4.227 kg
32.0050	left	Share wing reinforced 11x150 SB45P L	6	3352231	4.227 kg
32.0053	right	Share point B2S R - 12mm	9	3364050	2.030 kg
32.0054	left	Share point B2S L - 12mm	9	3364051	2.030 kg
32.0059	right	Share point reinforced B2SP R - 15mm	9	3364150	2.850 kg
32.0060	left	Share point reinforced B2SP L - 15mm	9	3364151	2.850 kg
32.0089	right	Shin B2K R 8mm	5	3451000	2.360 kg
32.0090	left	Shin B2K L 8mm	5	3451001	2.360 kg
32.0091	right	Shin B2KD R 10mm	5	3451002	2.980 kg
32.0092	left	Shin B2KD L 10mm	5	3451003	2.980 kg
32.0095	right	Shin B2KH R	5	3451010	2.600 kg

TIPO US40



Part-no.	Type	Description	Pos. US40	Orig.-part.no.	Weight
32.0096	left	Shin B2KH L	5	3451011	2.610 kg
32.0101	right	Reversible point S2W R - 10mm	11	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	11	3365541	1.810 kg
32.0131	right	Moldboard slat US35 R - 620	4	3444110	4.220 kg
32.0132	left	Moldboard slat US35 L - 620	4	3444111	4.220 kg
32.0133	right	Moldboard slat US35 R - 730	3	3444120	4.130 kg
32.0134	left	Moldboard slat US35 L - 730	3	3444121	4.130 kg
32.0135	right	Moldboard slat US35 R - 870	2	3444130	4.790 kg
32.0136	left	Moldboard slat US35 L - 870	2	3444131	4.790 kg
32.0137	right	Moldboard slat US40 R - 832	1	3444140	5.900 kg
32.0138	left	Moldboard slat US40 L - 832	1	3444141	5.900 kg

TIPO W52



TIPO W52




Part-no.	Type	Description	Pos. W52	Orig.-part.no.	Weight
32.0001	—	Landside A42	5	3411504	4.470 kg
32.0002	—	Landside A42H	5	3411460	6.800 kg
32.0007	—	Landside protector SC18	7	3401490	2.900 kg
32.0008	right	Landside coulter AS2 R	9	3492890	1.350 kg
32.0009	left	Landside coulter AS2 L	9	3492891	1.350 kg
32.0031	right	Trash board E4 R	11	3470860	3.360 kg
32.0032	left	Trash board E4 L	11	3470861	3.360 kg
32.0033	right	Landside-Tip AK10 R	4	3401900	1.000 kg
32.0034	left	Landside-Tip AK10 L	4	3401901	1.000 kg
32.0035	right	Frog protector SCR11 R	12	3401480	0.990 kg
32.0036	left	Frog protector SCR11 L	12	3401481	0.990 kg
32.0043	right	Share wing 11x150 SB56D R	3	3352134	5.000 kg
32.0044	left	Share wing 11x150 SB56D L	3	3352135	5.000 kg
32.0051	right	Share wing reinforced 11x150 SB56P R	3	3352234	4.780 kg
32.0052	left	Share wing reinforced 11x150 SB56P L	3	3352235	4.780 kg
32.0057	right	Share point C2S R - 12mm	6	3364054	2.030 kg
32.0058	left	Share point C2S L - 12mm	6	3364055	2.030 kg
32.0061	right	Share point reinforced C2SP R - 15mm	6	3364154	2.850 kg
32.0062	left	Share point reinforced C2SP L - 15mm	6	3364155	2.850 kg
32.0073	right	Moldboard W52B R	1	3441240	25.800 kg
32.0074	left	Moldboard W52B L	1	3441241	25.800 kg
32.0087	right	Moldboard extension ST4 R	10	3476000	1.320 kg
32.0088	left	Moldboard extension ST4 L	10	3476001	1.320 kg
32.0093	right	Shin C2K R	2	3451004	2.207 kg
32.0101	right	Reversible point S2W R - 10mm	8	3365540	1.810 kg
32.0102	left	Reversible point S2W L - 10mm	8	3365541	1.810 kg
32.0115	—	Landside A48	5	3411450	5.220 kg



MASSEY

FERGUSON


TIPO AH



TIPO AH


Part-no.	Type	Description	Pos. AH	Orig.-part.no.	Weight
36.0014	right	Landside	5	96094 (39411967)	5.600 kg
36.0015	left	Landside	5	96095 (39411966)	5.600 kg
36.0019	—	Landside protector	6	94289	2.900 kg
36.0022	right	Landside coulter	9	94622	1.200 kg
36.0030	right	Trash board	7	96064 (3941789)	3.890 kg
36.0031	left	Trash board	7	96065 (3941790)	3.890 kg
36.0048	right	Reversible point share - 16"	4	96090 (39411969)	3.710 kg
36.0049	left	Reversible point share - 16"	4	96091 (39411968)	3.710 kg
36.0050	right	Reversible point share - 18"	4	96092 (39411971)	4.300 kg
36.0051	left	Reversible point share - 18"	4	96093 (39411970)	4.300 kg
36.0058	right	Share point	3	94610 (3940724)	2.210 kg
36.0059	left	Share point	3	94611 (3940741)	2.210 kg
36.0071	right	Moldboard	1	96084 (3941973)	18.400 kg
36.0072	left	Moldboard	1	96085 (3941972)	18.400 kg
36.0089	right	Shin	2	96086 (3941975)	2.500 kg
36.0090	left	Shin	2	96087 (3941974)	2.500 kg
36.0115	right	Moldboard extension	8	74922 (3940234)	1.533 kg
36.0116	left	Moldboard extension	8	80559 (3940262)	1.533 kg

TIPO AS




Part-no.	Type	Description	Pos. AS	Orig.-part.no.	Weight
36.0014	right	Landside	8	96094 (39411967)	5.600 kg
36.0015	left	Landside	8	96095 (39411966)	5.600 kg
36.0019	—	Landside protector	9	94289	2.900 kg
36.0022	right	Landside coulter	11	94622	1.200 kg
36.0030	right	Trash board	10	96064 (3941789)	3.890 kg
36.0031	left	Trash board	10	96065 (3941790)	3.890 kg
36.0048	right	Reversible point share - 16"	7	96090 (39411969)	3.710 kg
36.0049	left	Reversible point share - 16"	7	96091 (39411968)	3.710 kg
36.0050	right	Reversible point share - 18"	7	96092 (39411971)	4.300 kg
36.0051	left	Reversible point share - 18"	7	96093 (39411970)	4.300 kg
36.0058	right	Share point	6	94610 (3940724)	2.210 kg
36.0059	left	Share point	6	94611 (3940741)	2.210 kg
36.0073	right	Moldboard slat	4	20249 (3942705)	2.530 kg
36.0074	right	Moldboard slat	3	20250 (3942706)	2.980 kg
36.0075	right	Moldboard slat	2	20251 (3942707)	3.490 kg
36.0076	right	Moldboard slat	1	20252 (3942708)	6.010 kg
36.0077	left	Moldboard slat	4	20894 (3942712)	2.530 kg
36.0078	left	Moldboard slat	3	20895 (3942713)	2.980 kg
36.0079	left	Moldboard slat	2	20896 (3942714)	3.490 kg
36.0080	left	Moldboard slat	1	20897 (3942715)	6.010 kg
36.0081	right	Shin	5	21470 (3942730)	3.170 kg
36.0082	left	Shin	5	21599 (3942729)	3.170 kg

TIPO AX



Part-no.	Type	Description	Pos. AX	Orig.-part.no.	Weight
36.0010	right	Landside	5	94604 (39411967)	5.600 kg
36.0011	left	Landside	5	94605 (39411966)	5.600 kg
36.0019	—	Landside protector	6	94289	2.900 kg
36.0022	right	Landside coulter	9	94622	1.200 kg
36.0030	right	Trash board	7	96064 (3941789)	3.890 kg
36.0031	left	Trash board	7	96065 (3941790)	3.890 kg
36.0042	right	Reversible point share - 14"	4	94598 (3940706)	3.100 kg
36.0043	left	Reversible point share - 14"	4	94599 (3940707)	3.100 kg
36.0044	right	Reversible point share - 16"	4	94600 (3940708)	3.675 kg
36.0045	left	Reversible point share - 16"	4	94601 (3940709)	3.675 kg
36.0046	right	Reversible point share - 18"	4	94602 (3940710)	3.800 kg
36.0047	left	Reversible point share - 18"	4	94603 (3940711)	3.800 kg
36.0058	right	Share point	3	94610 (3940724)	2.210 kg
36.0059	left	Share point	3	94611 (3940741)	2.210 kg
36.0069	right	Streichblech-Hinterteil	1	94594 (3940744)	19.200 kg
36.0070	left	Moldboard	1	94595 (3940743)	19.200 kg
36.0087	right	Shin	2	94596 (3940704)	1.232 kg
36.0088	left	Shin	2	94597 (3940705)	1.232 kg
36.0115	right	Moldboard extension	8	74922 (3940234)	1.533 kg
36.0116	left	Moldboard extension	8	80559 (3940262)	1.533 kg
36.0127	right	Bracket for trash board	10	94624	1.800 kg
36.0128	left	Bracket for trash board	10	94625	1.800 kg


TIPO FC



Part-no.	Type	Description	Pos. FC	Orig.-part.no.	Weight
36.0002	left	Landside	5	85133 (3940810)	5.500 kg
36.0005	right	Landside	5	85202 (3940700)	5.500 kg
36.0019	—	Landside protector	7	94289	2.900 kg
36.0022	right	Landside coulter	10	94622	1.200 kg
36.0028	left	Trash board	8	83968 (3940300)	3.390 kg
36.0029	right	Trash board	8	83969 (3940301)	3.390 kg
36.0034	right	Reversible point share - 14"	4	85004 (3940330)	2.275 kg
36.0035	left	Reversible point share - 14"	4	85194 (3940334)	2.275 kg
36.0036	right	Reversible point share - 16"	4	85039 (3940332)	2.570 kg
36.0037	left	Reversible point share - 16"	4	85195 (3940335)	2.570 kg
36.0063	right	Moldboard	1	84031 (3940305)	13.200 kg
36.0064	left	Moldboard	1	84087 (3940317)	13.200 kg
36.0085	right	Shin	2	84033 (3940306)	1.903 kg
36.0086	left	Shin	2	84082 (3940315)	1.903 kg
36.0103	right	Reversible point	3	84987 (3940328)	2.210 kg
36.0104	left	Reversible point	3	85206 (3940337)	2.210 kg
36.0115	right	Moldboard extension	9	74922 (3940234)	1.533 kg
36.0116	left	Moldboard extension	9	80559 (3940262)	1.533 kg
36.0117	right	Landside	6	86291 (3940391)	3.910 kg
36.0118	left	Landside	6	85578 (3940359)	3.910 kg
36.0127	right	Bracket for trash board	11	94624	1.800 kg
36.0128	left	Bracket for trash board	11	94625	1.800 kg

NAUD

TIPO C34A




TIPO C34A



Part-no.	Type	Description	Pos. C34A	Orig.- part.no.	Weight
39.0000	right	Reversible point	5	30.54.502D	2.090 kg
39.0001	left	Reversible point	5	30.54.502G	2.090 kg
39.0002	right	Reversible point share	3	30.54.452D	6.520 kg
39.0003	left	Reversible point share	3	30.54.452G	6.520 kg
39.0004	—	Landside	6	30.65.501	3.600 kg
39.0013	right	Beak share	2	30.55.154D	7.000 kg
39.0014	left	Beak share	2	30.55.154G	7.000 kg
39.0021	right	Reversible point share with share knife	4	30.54.452D/DK	7.120 kg
39.0022	left	Reversible point share with share knife	4	30.54.452G/DK	7.120 kg
39.0049	right	Moldboard one-piece	1	30.22.354D	15.600 kg
39.0050	left	Moldboard one-piece	1	30.22-354G	15.600 kg

NIEMEYER

TIPO EN17G




TIPO EN17G



Part-no.	Type	Description	Pos. EN17G	Orig.-part.no.	Weight
43.0000	right	Reversible point	8	024104	1.280 kg
43.0001	left	Reversible point	8	024105	1.280 kg
43.0010	right	Reversible point 12mm	10	200610	1.610 kg
43.0011	left	Reversible point 12mm	10	200611	1.610 kg
43.0012	right	Reversible point 13mm	9	200610	1.650 kg
43.0013	left	Reversible point 13mm	9	200611	1.650 kg
43.0032	right	Moldboard slat	4	200846	4.040 kg
43.0033	left	Moldboard slat	4	200845	4.040 kg
43.0034	right	Moldboard slat	3	200848	2.160 kg
43.0035	left	Moldboard slat	3	200847	2.160 kg
43.0036	right	Moldboard slat	2	200850	2.790 kg
43.0037	left	Moldboard slat	2	200849	2.790 kg
43.0038	right	Moldboard slat	1	200852	2.760 kg
43.0039	left	Moldboard slat	1	200851	2.760 kg
43.0052	—	Landside	12	024072	4.890 kg
43.0054	—	Landside tip	11	024004	0.970 kg
43.0055	right	Landside coulter	13	026240	1.780 kg
43.0056	left	Landside coulter	13	026241	1.780 kg
43.0069	right	Beak share N152R	6	200614	5.000 kg
43.0070	left	Beak share N152L	6	200615	5.000 kg
43.0071	right	Beak share N172R	6	200814	5.320 kg
43.0072	left	Beak shar N172L	6	200815	0.010 kg
43.0073	right	Shin	5	200746	2.500 kg
43.0074	left	Shin	5	200745	2.500 kg
43.0075	right	Reversible point share	7	200830	6.200 kg
43.0076	left	Reversible point share	7	200829	6.200 kg

TIPO ENU16G




TIPO ENU16G



Part-no.	Type	Description	Pos. ENU16G	Orig.- part.no.	Weight
43.0000	right	Reversible point	10	024104	1.280 kg
43.0001	left	Reversible point	10	024105	1.280 kg
43.0002	right	Share wing	6	024102	3.630 kg
43.0003	left	Share wing	6	024103	3.630 kg
43.0004	right	Share wing	7	024106	4.090 kg
43.0005	left	Share wing	7	024107	4.090 kg
43.0006	right	Share point	8	200678	2.050 kg
43.0007	left	Share point	8	200679	2.050 kg
43.0008	right	Share point reinforced	9	200678-024140	2.180 kg
43.0009	left	Share point reinforced	9	200679-024139	2.180 kg
43.0010	right	Reversible point 12mm	12	200610	1.610 kg
43.0011	left	Reversible point 12mm	12	200611	1.610 kg
43.0012	right	Reversible point 13mm	11	200610	1.650 kg
43.0013	left	Reversible point 13mm	11	200611	1.650 kg
43.0016	right	Shin	5	024080	2.380 kg
43.0017	left	Shin	5	024081	2.380 kg
43.0032	right	Moldboard slat	4	200846	4.040 kg
43.0033	left	Moldboard slat	4	200845	4.040 kg
43.0034	right	Moldboard slat	3	200848	2.160 kg
43.0035	left	Moldboard slat	3	200847	2.160 kg
43.0036	right	Moldboard slat	2	200850	2.790 kg
43.0037	left	Moldboard slat	2	200849	2.790 kg
43.0038	right	Moldboard slat	1	200852	2.760 kg
43.0039	left	Moldboard slat	1	200851	2.760 kg
43.0052	—	Landside	14	024072	4.890 kg
43.0054	—	Landside tip	13	024004	0.970 kg
43.0055	right	Landside coulter	15	026240	1.780 kg
43.0056	left	Landside coulter	15	026241	1.780 kg

TIPO ENU18G




TIPO ENU18G



Part-no.	Type	Description	Pos. ENU18G	Orig.-part.no.	Weight
43.0000	right	Reversible point	10	024104	1.280 kg
43.0001	left	Reversible point	10	024105	1.280 kg
43.0002	right	Share wing	6	024102	3.630 kg
43.0003	left	Share wing	6	024103	3.630 kg
43.0004	right	Share wing	7	024106	4.090 kg
43.0005	left	Share wing	7	024107	4.090 kg
43.0006	right	Share point	8	200678	2.050 kg
43.0007	left	Share point	8	200679	2.050 kg
43.0008	right	Share point reinforced	9	200678-024140	2.180 kg
43.0009	left	Share point reinforced	9	200679-024139	2.180 kg
43.0010	right	Reversible point 12mm	12	200610	1.610 kg
43.0011	left	Reversible point 12mm	12	200611	1.610 kg
43.0012	right	Reversible point 13mm	11	200610	1.650 kg
43.0013	left	Reversible point 13mm	11	200611	1.650 kg
43.0016	right	Shin	5	024080	2.380 kg
43.0017	left	Shin	5	024081	2.380 kg
43.0040	right	Moldboard slat	4	024132	3.470 kg
43.0041	left	Moldboard slat	4	024131	3.470 kg
43.0042	right	Moldboard slat	3	024128	3.020 kg
43.0043	left	Moldboard slat	3	024127	3.020 kg
43.0044	right	Moldboard slat	2	024126	4.330 kg
43.0045	left	Moldboard slat	2	024125	4.330 kg
43.0046	right	Moldboard slat	1	024130	4.330 kg
43.0047	left	Moldboard slat	1	024129	8.300 kg
43.0052	—	Landside	14	024072	4.890 kg
43.0054	—	Landside tip	13	024004	0.970 kg
43.0055	right	Landside coulter	15	026240	1.780 kg
43.0056	left	Landside coulter	15	026241	1.780 kg

TIPO ESH15G




TIPO ESH15G



Part-no.	Type	Description	Pos. ESH15G	Orig.-part.no.	Weight
43.0000	right	Reversible point	10	024104	1.280 kg
43.0001	left	Reversible point	10	024105	1.280 kg
43.0002	right	Share wing	6	024102	3.630 kg
43.0003	left	Share wing	6	024103	3.630 kg
43.0004	right	Share wing	7	024106	4.090 kg
43.0005	left	Share wing	7	024107	4.090 kg
43.0006	right	Share point	8	200678	2.050 kg
43.0007	left	Share point	8	200679	2.050 kg
43.0008	right	Share point reinforced	9	200678-024140	2.180 kg
43.0009	left	Share point reinforced	9	200679-024139	2.180 kg
43.0010	right	Reversible point 12mm	12	200610	1.610 kg
43.0011	left	Reversible point 12mm	12	200611	1.610 kg
43.0012	right	Reversible point 13mm	11	200610	1.650 kg
43.0013	left	Reversible point 13mm	11	200611	1.650 kg
43.0018	right	Shin	5	200648	3.370 kg
43.0019	left	Shin	5	200649	3.370 kg
43.0026	right	Moldboard slat	3	200652	3.030 kg
43.0027	left	Moldboard slat	3	200653	3.030 kg
43.0028	right	Moldboard slat	2	200654	3.600 kg
43.0029	left	Moldboard slat	2	200655	3.600 kg
43.0030	right	Moldboard slat	1	200656	3.400 kg
43.0031	left	Moldboard slat	1	200657	3.400 kg
43.0052	—	Landside	14	024072	4.890 kg
43.0054	—	Landside tip	13	024004	0.970 kg
43.0055	right	Landside coulter	15	026240	1.780 kg
43.0056	left	Landside coulter	15	026241	1.780 kg
43.0061	right	Moldboard slat	4	200650	4.340 kg
43.0062	left	Moldboard slat	4	200651	4.340 kg

TIPO N6G




TIPO N6G



Part-no.	Type	Description	Pos. N6G	Orig.-part.no.	Weight
43.0006	right	Share point	4	200678	2.050 kg
43.0007	left	Share point	4	200679	2.050 kg
43.0008	right	Share point reinforced	5	200678-024140	2.180 kg
43.0009	left	Share point reinforced	5	200679-024139	2.180 kg
43.0052	—	Landside	7	024072	4.890 kg
43.0053	—	Landside tip	6	024013	1.650 kg
43.0055	right	Landside coulter	8	026240	1.780 kg
43.0056	left	Landside coulter	8	026241	1.780 kg
43.0063	right	Moldboard	1	024112	20.000 kg
43.0064	left	Moldboard	1	024111	20.000 kg
43.0065	right	Share wing	3	024122	4.100 kg
43.0066	left	Share wing	3	024121	4.100 kg
43.0067	right	Shin	2	024114	1.750 kg
43.0068	left	Shin	2	024113	1.750 kg

TIPO NU16G




TIPO NU16G



Part-no.	Type	Description	Pos. NU16G	Orig.-part.no.	Weight
43.0000	right	Reversible point	7	024104	1.280 kg
43.0001	left	Reversible point	7	024105	1.280 kg
43.0002	right	Share wing	3	024102	3.630 kg
43.0003	left	Share wing	3	024103	3.630 kg
43.0004	right	Share wing	4	024106	4.090 kg
43.0005	left	Share wing	4	024107	4.090 kg
43.0006	right	Share point	5	200678	2.050 kg
43.0007	left	Share point	5	200679	2.050 kg
43.0008	right	Share point reinforced	6	200678-024140	2.180 kg
43.0009	left	Share point reinforced	6	200679-024139	2.180 kg
43.0010	right	Reversible point 12mm	8a	200610	1.610 kg
43.0011	left	Reversible point 12mm	8a	200611	1.610 kg
43.0012	right	Reversible point 13mm	8	200610	1.650 kg
43.0013	left	Reversible point 13mm	8	200611	1.650 kg
43.0016	right	Shin	2	024080	2.380 kg
43.0017	left	Shin	2	024081	2.380 kg
43.0022	right	Moldboard	1	024078	15.030 kg
43.0023	left	Moldboard	1	024079	15.030 kg
43.0050	right	Moldboard extension	11	024082	1.650 kg
43.0051	left	Moldboard extension	11	024083	1.650 kg
43.0052	—	Landside	10	024072	4.890 kg
43.0054	—	Landside tip	9	024004	0.970 kg
43.0055	right	Landside coulter	13	026240	1.780 kg
43.0056	left	Landside coulter	13	026241	1.780 kg
43.0059	right	Trash board	12	026180	3.760 kg
43.0060	left	Trash board	12	026181	3.760 kg

TIPO NU18G




TIPO NU18G



Part-no.	Type	Description	Pos. NU18G	Orig.-part.no.	Weight
43.0000	right	Reversible point	7	024104	1.280 kg
43.0001	left	Reversible point	7	024105	1.280 kg
43.0002	right	Share wing	3	024102	3.630 kg
43.0003	left	Share wing	3	024103	3.630 kg
43.0004	right	Share wing	4	024106	4.090 kg
43.0005	left	Share wing	4	024107	4.090 kg
43.0006	right	Share point	5	200678	2.050 kg
43.0007	left	Share point	5	200679	2.050 kg
43.0008	right	Share point reinforced	6	200678-024140	2.180 kg
43.0009	left	Share point reinforced	6	200679-024139	2.180 kg
43.0010	right	Reversible point 12mm	8a	200610	1.610 kg
43.0011	left	Reversible point 12mm	8a	200611	1.610 kg
43.0012	right	Reversible point 13mm	8	200610	1.650 kg
43.0013	left	Reversible point 13mm	8	200611	1.650 kg
43.0016	right	Shin	2	024080	2.380 kg
43.0017	left	Shin	2	024081	2.380 kg
43.0024	right	Moldboard	1	024090	18.000 kg
43.0025	left	Moldboard	1	024091	18.000 kg
43.0050	right	Moldboard extension	11	024082	1.650 kg
43.0051	left	Moldboard extension	11	024083	1.650 kg
43.0052	—	Landside	10	024072	4.890 kg
43.0054	—	Landside tip	9	024004	0.970 kg
43.0055	right	Landside coulter	13	026240	1.780 kg
43.0056	left	Landside coulter	13	026241	1.780 kg
43.0059	right	Trash board	12	026180	3.760 kg
43.0060	left	Trash board	12	026181	3.760 kg

TIPO SH15G




TIPO SH15G



Part-no.	Type	Description	Pos. SH15G	Orig.- part.no.	Weight
43.0000	right	Reversible point	7	024104	1.280 kg
43.0001	left	Reversible point	7	024105	1.280 kg
43.0002	right	Share wing	3	024102	3.630 kg
43.0003	left	Share wing	3	024103	3.630 kg
43.0004	right	Share wing	4	024106	4.090 kg
43.0005	left	Share wing	4	024107	4.090 kg
43.0006	right	Share point	5	200678	2.050 kg
43.0007	left	Share point	5	200679	2.050 kg
43.0008	right	Share point reinforced	6	200678-024140	2.180 kg
43.0009	left	Share point reinforced	6	200679-024139	2.180 kg
43.0010	right	Reversible point 12mm	8a	200610	1.610 kg
43.0011	left	Reversible point 12mm	8a	200611	1.610 kg
43.0012	right	Reversible point 13mm	8	200610	1.650 kg
43.0013	left	Reversible point 13mm	8	200611	1.650 kg
43.0014	right	Shin	2	023436	2.640 kg
43.0015	left	Shin	2	023435	2.640 kg
43.0020	right	Moldboard	1	200052	19.700 kg
43.0021	left	Moldboard	1	200053	19.700 kg
43.0048	right	Moldboard extension	11	200054	2.150 kg
43.0049	left	Moldboard extension	11	200055	2.150 kg
43.0052	—	Landside	10	024072	4.890 kg
43.0054	—	Landside tip	9	024004	0.970 kg
43.0055	right	Landside coulter	13	026240	1.780 kg
43.0056	left	Landside coulter	13	026241	1.780 kg
43.0059	right	Trash board	12	026180	3.760 kg
43.0060	left	Trash board	12	026181	3.760 kg

ÖVERUM


TIPO UC



TIPO UC

Part-no.	Type	Description	Pos. UC	Orig.-part.no.	Weight
36.0000	right	Landside	7	83981	4.800 kg
36.0003	left	Landside	7	85196	4.800 kg
36.0019	—	Landside protector	8	94289	2.900 kg
36.0028	left	Trash board	9	83968	3.390 kg
36.0029	right	Trash board	9	83969	3.390 kg
36.0034	right	Reversible point share - 14"	5	85004	2.275 kg
36.0035	left	Reversible point share - 14"	5	85194	2.275 kg
36.0036	right	Reversible point share - 16"	5	85039	2.570 kg
36.0037	left	Reversible point share - 16"	5	85195	2.570 kg
36.0063	right	Moldboard	1	84031	13.200 kg
36.0064	left	Moldboard	1	84087	13.200 kg
36.0085	right	Shin	2	84033	1.903 kg
36.0086	left	Shin	2	84082	1.903 kg
36.0099	right	Reversible point	3	92206	2.190 kg
36.0100	left	Reversible point	3	92207	2.190 kg
36.0109	right	Landside	6	94286	5.800 kg
36.0110	left	Landside	6	94287	5.800 kg
36.0113	right	Bracket for reversible point	4	84958	2.305 kg
36.0114	left	Bracket for reversible point	4	85191	2.305 kg
36.0115	right	Moldboard extension	10	74922	1.533 kg
36.0116	left	Moldboard extension	10	80559	1.533 kg
36.0127	right	Bracket for trash board	11	94624	1.800 kg
36.0128	left	Bracket for trash board	11	94625	1.800 kg


TIPO V



TIPO V

Part-no.	Type	Description	Pos. V	Orig.-part.no.	Weight
36.0000	right	Landside	7	83981	4.800 kg
36.0003	left	Landside	7	85196	4.800 kg
36.0019	—	Landside protector	8	94289	2.900 kg
36.0028	left	Trash board	9	83968	3.390 kg
36.0029	right	Trash board	9	83969	3.390 kg
36.0052	right	Bracket for reversible point	4	84288	3.010 kg
36.0053	left	Bracket for reversible point	4	84289	3.010 kg
36.0067	right	Moldboard	1	85261	14.900 kg
36.0068	left	Moldboard	1	85262	14.900 kg
36.0099	right	Reversible point	3	92206	2.190 kg
36.0100	left	Reversible point	3	92207	2.190 kg
36.0109	right	Landside	6	94286	5.800 kg
36.0110	left	Landside	6	94287	5.800 kg
36.0115	right	Moldboard extension	10	74922	1.533 kg
36.0116	left	Moldboard extension	10	80559	1.533 kg
48.0019	left	Reversible point share - 14"	5	—	3.550 kg
48.0020	right	Reversible point share - 14"	5	—	3.550 kg
48.0021	left	Reversible point share - 16"	5	—	3.690 kg
48.0022	right	Reversible point share - 16"	5	—	3.500 kg
48.0023	right	Shin	2	—	1.540 kg
48.0024	left	Shin	2	—	1.540 kg


TIPO XL



TIPO XL

Part-no.	Type	Description	Pos. XL	Orig.-part.no.	Weight
36.0010	right	Landside	6	94604	5.600 kg
36.0011	left	Landside	6	94605	5.600 kg
36.0019	—	Landside protector	7	94289	2.900 kg
36.0022	right	Landside coulter	10	94622	1.200 kg
36.0023	left	Landside coulter	10	—	1.200 kg
36.0030	right	Trash board	8	96064	3.890 kg
36.0031	left	Trash board	8	96065	3.890 kg
36.0042	right	Reversible point share - 14"	5	94598	3.100 kg
36.0043	left	Reversible point share - 14"	5	94599	3.100 kg
36.0044	right	Reversible point share - 16"	5	94600	3.675 kg
36.0045	left	Reversible point share - 16"	5	94601	3.675 kg
36.0046	right	Reversible point share - 18"	5	94602	3.800 kg
36.0047	left	Reversible point share - 18"	5	94603	3.800 kg
36.0054	right	Reversible point	3	94608	1.800 kg
36.0055	left	Reversible point	3	94609	1.800 kg
36.0069	right	Streichblech-Hinterteil	1	94594	19.200 kg
36.0070	left	Moldboard	1	94595	19.200 kg
36.0087	right	Shin	2	94596	1.232 kg
36.0088	left	Shin	2	94597	1.232 kg
36.0111	right	Bracket for reversible point	4	94612	1.500 kg
36.0112	left	Bracket for reversible point	4	94613	1.500 kg
36.0115	right	Moldboard extension	9	74922	1.533 kg
36.0116	left	Moldboard extension	9	80559	1.533 kg
36.0127	right	Bracket for trash board	11	94624	1.800 kg
36.0128	left	Bracket for trash board	11	94625	1.800 kg

TIPO XS




TIPO XS



Part-no.	Type	Description	Pos. XS	Orig.-part.no.	Weight
36.0014	right	Landside	9	96094	5.600 kg
36.0015	left	Landside	9	96095	5.600 kg
36.0019	—	Landside protector	10	94289	2.900 kg
36.0022	right	Landside coulter	12	94622	1.200 kg
36.0023	left	Landside coulter	12	—	1.200 kg
36.0030	right	Trash board	11	96064	3.890 kg
36.0031	left	Trash board	11	96065	3.890 kg
36.0048	right	Reversible point share - 16"	8	96090	3.710 kg
36.0049	left	Reversible point share - 16"	8	96091	3.710 kg
36.0050	right	Reversible point share - 18"	8	96092	4.300 kg
36.0051	left	Reversible point share - 18"	8	96093	4.300 kg
36.0054	right	Reversible point	6	94608	1.800 kg
36.0055	left	Reversible point	6	94609	1.800 kg
36.0073	right	Moldboard slat	4	20249	2.530 kg
36.0074	right	Moldboard slat	3	20250	2.980 kg
36.0075	right	Moldboard slat	2	20251	3.490 kg
36.0076	right	Moldboard slat	1	20252	6.010 kg
36.0077	left	Moldboard slat	4	20894	2.530 kg
36.0078	left	Moldboard slat	3	20895	2.980 kg
36.0079	left	Moldboard slat	2	20896	3.490 kg
36.0080	left	Moldboard slat	1	20897	6.010 kg
36.0081	right	Shin	5	21470	3.170 kg
36.0082	left	Shin	5	21599	3.170 kg
36.0111	right	Bracket for reversible point	7	94612	1.500 kg
36.0112	left	Bracket for reversible point	7	94613	1.500 kg

TIPO XU




TIPO XU



Part-no.	Type	Description	Pos. XU	Orig.-part.no.	Weight
36.0014	right	Landside	6	96094	5.600 kg
36.0015	left	Landside	6	96095	5.600 kg
36.0019	—	Landside protector	7	94289	2.900 kg
36.0022	right	Landside coulter	10	94622	1.200 kg
36.0023	left	Landside coulter	10	—	1.200 kg
36.0030	right	Trash board	8	96064	3.890 kg
36.0031	left	Trash board	8	96065	3.890 kg
36.0048	right	Reversible point share - 16"	5	96090	3.710 kg
36.0049	left	Reversible point share - 16"	5	96091	3.710 kg
36.0050	right	Reversible point share - 18"	5	96092	4.300 kg
36.0051	left	Reversible point share - 18"	5	96093	4.300 kg
36.0054	right	Reversible point	3	94608	1.800 kg
36.0055	left	Reversible point	3	94609	1.800 kg
36.0071	right	Moldboard	1	96084	18.400 kg
36.0072	left	Moldboard	1	96085	18.400 kg
36.0089	right	Shin	2	96086	2.500 kg
36.0090	left	Shin	2	96087	2.500 kg
36.0111	right	Bracket for reversible point	4	94612	1.500 kg
36.0112	left	Bracket for reversible point	4	94613	1.500 kg
36.0115	right	Moldboard extension	9	74922	1.533 kg
36.0116	left	Moldboard extension	9	80559	1.533 kg

RABE

TIPO BP-293 O




TIPO BP-293 O



Part-no.	Type	Description	Pos. BP-293 O	Orig.- part.no.	Weight
37.0001	right	Share point MP293	3	2701.12.01	1.500 kg
37.0002	left	Share point MP293L	3	2701.12.02	1.500 kg
37.0013	right	Shin VRP292O	2	2701.07.01	1.780 kg
37.0014	left	Shin VRP292OL	2	2701.07.02	1.780 kg
37.0029	right	Beak share SSP293O	4	2700.10.01	7.500 kg
37.0030	left	Beak share SSP293OL	4	2700.10.02	7.500 kg
37.0037	right	Reversible point share SSP293OS	5	—	7.520 kg
37.0038	left	Reversible point share SSP293OSL	5	—	7.520 kg
37.0053	right	Moldboard HRP-296O	1	2702.01.01	13.200 kg
37.0054	left	Moldboard HRP-296OL	1	2702.01.02	13.200 kg
37.0059	right	Landside coulter NG71	6	2722.05.01	3.150 kg
37.0060	left	Landside coulter NG71L	6	2722.05.02	3.150 kg
37.0061	—	Landside protector XP-4	9	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	10	2708.14.00	3.800 kg
37.0063	—	Landside WP292O	8	2701.14.00	5.300 kg
37.0064	—	Landside VP292O	7	2701.15.00	3.490 kg
37.0099	right	Cast heel UP-9	11	2700.30.01	2.100 kg
37.0100	left	Cast heel UP-9L	11	2700.30.02	2.100 kg
37.0111	right	Beak share reinforced SSP293OP	4	—	7.700 kg
37.0112	left	Beak share reinforced SSP293OPL	4	—	7.700 kg

TIPO BP-294 O




TIPO BP-294 O



Part-no.	Type	Description	Pos. BP-294 O	Orig.- part.no.	Weight
37.0001	right	Share point MP293	3	2701.12.01	1.500 kg
37.0002	left	Share point MP293L	3	2701.12.02	1.500 kg
37.0013	right	Shin VRP292O	2	2701.07.01	1.780 kg
37.0014	left	Shin VRP292OL	2	2701.07.02	1.780 kg
37.0031	right	Beak share SSP294O	4	2707.01.01	8.350 kg
37.0032	left	Beak share SSP294OL	4	2707.01.02	8.350 kg
37.0039	right	Reversible point share SSP294OS	5	2707.04.01	8.420 kg
37.0040	left	Reversible point share SSP294OSL	5	2707.04.02	8.420 kg
37.0053	right	Moldboard HRP-296O	1	2702.01.01	13.200 kg
37.0054	left	Moldboard HRP-296OL	1	2702.01.02	13.200 kg
37.0059	right	Landside coulter NG71	6	2722.05.01	3.150 kg
37.0060	left	Landside coulter NG71L	6	2722.05.02	3.150 kg
37.0061	—	Landside protector XP-4	9	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	10	2708.14.00	3.800 kg
37.0063	—	Landside WP292O	8	2701.14.00	5.300 kg
37.0064	—	Landside VP292O	7	2701.15.00	3.490 kg
37.0099	right	Cast heel UP-9	11	2700.30.01	2.100 kg
37.0100	left	Cast heel UP-9L	11	2700.30.02	2.100 kg
37.0113	right	Beak share reinforced SSP294OP	4	—	8.480 kg
37.0114	left	Beak share reinforced SSP294OPL	4	—	8.480 kg


TIPO BP-321 PS(L)



TIPO BP-321 PS(L)

Part-no.	Type	Description	Pos. BP-321 PS(L)	Orig.- part.no.	Weight
37.0001	right	Share point MP293	6	2701.12.01	1.500 kg
37.0002	left	Share point MP293L	6	2701.12.02	1.500 kg
37.0017	right	Shin VRP342R	5	2700.22.01	1.850 kg
37.0018	left	Shin VRP342RL	5	2700.22.02	1.850 kg
37.0029	right	Beak share SSP2930	7	2700.10.01	7.500 kg
37.0030	left	Beak share SSP2930L	7	2700.10.02	7.500 kg
37.0037	right	Reversible point share SSP293OS	8	—	7.520 kg
37.0038	left	Reversible point share SSP293OSL	8	—	7.520 kg
37.0059	right	Landside coulter NG71	9	2722.05.01	3.150 kg
37.0060	left	Landside coulter NG71L	9	2722.05.02	3.150 kg
37.0061	—	Landside protector XP-4	12	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	13	2708.14.00	3.800 kg
37.0063	—	Landside WP2920	11	2701.14.00	5.300 kg
37.0064	—	Landside VP2920	10	2701.15.00	3.490 kg
37.0065	right	Moldboard slat SRP328P1	4	2731.09.01	3.620 kg
37.0066	left	Moldboard slat SRP328PL1	4	2731.09.02	3.620 kg
37.0067	right	Moldboard slat SRP328P2	3	2731.10.01	3.810 kg
37.0068	left	Moldboard slat SRP328PL2	3	2731.10.02	3.810 kg
37.0069	right	Moldboard slat SRP328P3	2	2731.11.01	5.830 kg
37.0070	left	Moldboard slat SRP328PL3	2	2731.11.02	5.830 kg
37.0071	right	Moldboard slat SRP328P4	1	2731.12.01	5.280 kg
37.0072	left	Moldboard slat SRP328PL4	1	2731.12.02	5.280 kg
37.0099	right	Cast heel UP-9	14	2700.30.01	2.100 kg
37.0100	left	Cast heel UP-9L	14	2700.30.02	2.100 kg
37.0111	right	Beak share reinforced SSP293OP	7	—	7.700 kg
37.0112	left	Beak share reinforced SSP293OPL	7	—	7.700 kg

TIPO BP-322 PS(L)




TIPO BP-322 PS(L)



Part-no.	Type	Description	Pos. BP- 322 PS(L)	Orig.- part.no.	Weight
37.0001	right	Share point MP293	6	2701.12.01	1.500 kg
37.0002	left	Share point MP293L	6	2701.12.02	1.500 kg
37.0017	right	Shin VRP342R	5	2700.22.01	1.850 kg
37.0018	left	Shin VRP342RL	5	2700.22.02	1.850 kg
37.0031	right	Beak share SSP2940	7	2707.01.01	8.350 kg
37.0032	left	Beak share SSP2940L	7	2707.01.02	8.350 kg
37.0039	right	Reversible point share SSP2940S	8	2707.04.01	8.420 kg
37.0040	left	Reversible point share SSP2940SL	8	2707.04.02	8.420 kg
37.0059	right	Landside coulter NG71	9	2722.05.01	3.150 kg
37.0060	left	Landside coulter NG71L	9	2722.05.02	3.150 kg
37.0061	—	Landside protector XP-4	12	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	13	2708.14.00	3.800 kg
37.0063	—	Landside WP2920	11	2701.14.00	5.300 kg
37.0064	—	Landside VP2920	10	2701.15.00	3.490 kg
37.0065	right	Moldboard slat SRP328P1	4	2731.09.01	3.620 kg
37.0066	left	Moldboard slat SRP328PL1	4	2731.09.02	3.620 kg
37.0067	right	Moldboard slat SRP328P2	3	2731.10.01	3.810 kg
37.0068	left	Moldboard slat SRP328PL2	3	2731.10.02	3.810 kg
37.0069	right	Moldboard slat SRP328P3	2	2731.11.01	5.830 kg
37.0070	left	Moldboard slat SRP328PL3	2	2731.11.02	5.830 kg
37.0071	right	Moldboard slat SRP328P4	1	2731.12.01	5.280 kg
37.0072	left	Moldboard slat SRP328PL4	1	2731.12.02	5.280 kg
37.0099	right	Cast heel UP-9	14	2700.30.01	2.100 kg
37.0100	left	Cast heel UP-9L	14	2700.30.02	2.100 kg
37.0113	right	Beak share reinforced SSP2940P	7	—	8.480 kg
37.0114	left	Beak share reinforced SSP2940PL	7	—	8.480 kg

TIPO BP-323 PS(L)




TIPO BP-323 PS(L)



Part-no.	Type	Description	Pos. BP-323 PS(L)	Orig.- part.no.	Weight
37.0001	right	Share point MP293	6	2701.12.01	1.500 kg
37.0002	left	Share point MP293L	6	2701.12.02	1.500 kg
37.0017	right	Shin VRP342R	5	2700.22.01	1.850 kg
37.0018	left	Shin VRP342RL	5	2700.22.02	1.850 kg
37.0031	right	Beak share SSP2940	7	2707.01.01	8.350 kg
37.0032	left	Beak share SSP2940L	7	2707.01.02	8.350 kg
37.0039	right	Reversible point share SSP2940S	8	2707.04.01	8.420 kg
37.0040	left	Reversible point share SSP2940SL	8	2707.04.02	8.420 kg
37.0059	right	Landside coulter NG71	9	2722.05.01	3.150 kg
37.0060	left	Landside coulter NG71L	9	2722.05.02	3.150 kg
37.0061	—	Landside protector XP-4	12	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	13	2708.14.00	3.800 kg
37.0063	—	Landside WP2920	11	2701.14.00	5.300 kg
37.0064	—	Landside VP2920	10	2701.15.00	3.490 kg
37.0065	right	Moldboard slat SRP328P1	4	2731.09.01	3.620 kg
37.0066	left	Moldboard slat SRP328PL1	4	2731.09.02	3.620 kg
37.0067	right	Moldboard slat SRP328P2	3	2731.10.01	3.810 kg
37.0068	left	Moldboard slat SRP328PL2	3	2731.10.02	3.810 kg
37.0069	right	Moldboard slat SRP328P3	2	2731.11.01	5.830 kg
37.0070	left	Moldboard slat SRP328PL3	2	2731.11.02	5.830 kg
37.0073	right	Moldboard slat SRP327PB4	1	2731.08.01	7.970 kg
37.0074	left	Moldboard slat SRP327PBL4	1	2731.08.02	7.970 kg
37.0099	right	Cast heel UP-9	14	2700.30.01	2.100 kg
37.0100	left	Cast heel UP-9L	14	2700.30.02	2.100 kg
37.0113	right	Beak share reinforced SSP2940P	7	—	8.480 kg
37.0114	left	Beak share reinforced SSP2940PL	7	—	8.480 kg

TIPO BP-330 WS




TIPO BP-330 WS



Part-no.	Type	Description	Pos. BP-330 WS	Orig.- part.no.	Weight
37.0005	right	Share point MP350	8	2751.09.01	1.300 kg
37.0006	left	Share point MP350L	8	2751.09.02	1.300 kg
37.0015	right	Shin VRP330W	5	2759.07.01	1.800 kg
37.0016	left	Shin VRP330WL	5	2759.07.02	1.800 kg
37.0023	—	Landside VP351W	10	2751.03.06	3.500 kg
37.0024	—	Landside WP351W	11	2751.03.05	4.535 kg
37.0027	—	Landside-Tip YP350W	9	2751.02.05	1.200 kg
37.0035	right	Beak share SSP350W	6	2751.07.01	8.420 kg
37.0036	left	Beak share SSP350WL	6	2751.07.02	8.420 kg
37.0041	right	Reversible point share SSP350WS	7	2751.22.01	8.130 kg
37.0042	left	Reversible point share SSP350WSL	7	2751.22.02	8.130 kg
37.0061	—	Landside protector XP-4	12	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	13	2708.14.00	3.800 kg
37.0101	—	Landside protector XP-61	14	2708.14.01	5.000 kg
37.0107	right	Beak share reinforced SSP350WP	6	2751.28.01	8.500 kg
37.0108	left	Beak share reinforced SSP350WPL	6	2751.28.02	8.500 kg
37.0153	right	Moldboard slat SRP330W1	4	2759.03.01	3.600 kg
37.0154	left	Moldboard slat SRP330WL1	4	2759.03.02	3.600 kg
37.0155	right	Moldboard slat SRP330W2	3	2759.04.01	3.100 kg
37.0156	left	Moldboard slat SRP330WL2	3	2759.04.02	3.100 kg
37.0157	right	Moldboard slat SRP330W3	2	2759.05.01	4.000 kg
37.0158	left	Moldboard slat SRP330WL3	2	2759.05.02	4.000 kg
37.0159	right	Moldboard slat SRP330W4	1	2759.06.01	5.800 kg
37.0160	left	Moldboard slat SRP330WL4	1	2759.06.02	5.800 kg

TIPO BP-331 WS




TIPO BP-331 WS



Part-no.	Type	Description	Pos. BP-331 WS	Orig.- part.no.	Weight
37.0005	right	Share point MP350	7	2751.09.01	1.300 kg
37.0006	left	Share point MP350L	7	2751.09.02	1.300 kg
37.0015	right	Shin VRP330W	5	2759.07.01	1.800 kg
37.0016	left	Shin VRP330WL	5	2759.07.02	1.800 kg
37.0023	—	Landside VP351W	9	2751.03.06	3.500 kg
37.0024	—	Landside WP351W	10	2751.03.05	4.535 kg
37.0027	—	Landside-Tip YP350W	8	2751.02.05	1.200 kg
37.0061	—	Landside protector XP-4	11	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	12	2708.14.00	3.800 kg
37.0101	—	Landside protector XP-61	13	2708.14.01	5.000 kg
37.0105	right	Beak share SSP351W	6	2751.33.01	9.000 kg
37.0106	left	Beak share SSP351WL	6	2751.33.02	9.000 kg
37.0153	right	Moldboard slat SRP330W1	4	2759.03.01	3.600 kg
37.0154	left	Moldboard slat SRP330WL1	4	2759.03.02	3.600 kg
37.0155	right	Moldboard slat SRP330W2	3	2759.04.01	3.100 kg
37.0156	left	Moldboard slat SRP330WL2	3	2759.04.02	3.100 kg
37.0157	right	Moldboard slat SRP330W3	2	2759.05.01	4.000 kg
37.0158	left	Moldboard slat SRP330WL3	2	2759.05.02	4.000 kg
37.0159	right	Moldboard slat SRP330W4	1	2759.06.01	5.800 kg
37.0160	left	Moldboard slat SRP330WL4	1	2759.06.02	5.800 kg
37.0176	right	Beak share reinforced SSP351WP	6	2751.30.01	9.150 kg
37.0177	left	Beak share reinforced SSP351WPL	6	2751.30.02	9.150 kg

TIPO BP-350 W




TIPO BP-350 W



Part-no.	Type	Description	Pos. BP-350 W	Orig.- part.no.	Weight
37.0005	right	Share point MP350	6	2751.09.01	1.300 kg
37.0006	left	Share point MP350L	6	2751.09.02	1.300 kg
37.0009	right	Shin VRP350W - 8mm	2	2751.05.01	2.800 kg
37.0010	left	Shin VRP350WL - 8mm	2	2751.05.02	2.800 kg
37.0023	—	Landside VP351W	8	2751.03.06	3.500 kg
37.0024	—	Landside WP351W	9	2751.03.05	4.535 kg
37.0027	—	Landside-Tip YP350W	7	2751.02.05	1.200 kg
37.0035	right	Beak share SSP350W	3	2751.07.01	8.420 kg
37.0036	left	Beak share SSP350WL	3	2751.07.02	8.420 kg
37.0041	right	Reversible point share SSP350WS	5	2751.22.01	8.130 kg
37.0042	left	Reversible point share SSP350WSL	5	2751.22.02	8.130 kg
37.0061	—	Landside protector XP-4	10	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	11	2708.14.00	3.800 kg
37.0097	right	Moldboard HRP-350W	1	2751.04.01	21.200 kg
37.0098	left	Moldboard HRP-350WL	1	2751.04.02	21.200 kg
37.0101	—	Landside protector XP-61	12	2708.14.01	5.000 kg
37.0105	right	Beak share SSP351W	4	2751.33.01	9.000 kg
37.0106	left	Beak share SSP351WL	4	2751.33.02	9.000 kg
37.0107	right	Beak share reinforced SSP350WP	3	2751.28.01	8.500 kg
37.0108	left	Beak share reinforced SSP350WPL	3	2751.28.02	8.500 kg
37.0174	right	Shin VRP350W - 10mm	2	2751.05.01	2.710 kg
37.0175	left	Shin VRP350WL - 10mm	2	2751.05.02	2.710 kg
37.0176	right	Beak share reinforced SSP351WP	4	2751.30.01	9.150 kg
37.0177	left	Beak share reinforced SSP351WPL	4	2751.30.02	9.150 kg

TIPO BP-350 W(L)



TIPO BP-350 W(L)




Part-no.	Type	Description	Pos. BP- 350 WS(L)	Orig.- part.no.	Weight
37.0005	right	Share point MP350	6	2751.09.01	1.300 kg
37.0006	left	Share point MP350L	6	2751.09.02	1.300 kg
37.0009	right	Shin VRP350W - 8mm	5	2751.05.01	2.800 kg
37.0010	left	Shin VRP350WL - 8mm	5	2751.05.02	2.800 kg
37.0023	—	Landside VP351W	11	2751.03.06	3.500 kg
37.0024	—	Landside WP351W	12	2751.03.05	4.535 kg
37.0027	—	Landside-Tip YP350W	10	2751.02.05	1.200 kg
37.0035	right	Beak share SSP350W	7	2751.07.01	8.420 kg
37.0036	left	Beak share SSP350WL	7	2751.07.02	8.420 kg
37.0041	right	Reversible point share SSP350WS	9	2751.22.01	8.130 kg
37.0042	left	Reversible point share SSP350WSL	9	2751.22.02	8.130 kg
37.0061	—	Landside protector XP-4	13	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	14	2708.14.00	3.800 kg
37.0075	right	Moldboard slat SRP350W1	4	2755.01.02	4.160 kg
37.0076	left	Moldboard slat SRP350WL1	4	2755.01.01	4.160 kg
37.0077	right	Moldboard slat SRP350W2	3	2755.02.01	4.400 kg
37.0078	left	Moldboard slat SRP350WL2	3	2755.02.02	4.400 kg
37.0079	right	Moldboard slat SRP350W3	2	2755.03.01	5.550 kg
37.0080	left	Moldboard slat SRP350WL3	2	2755.03.02	5.550 kg
37.0081	right	Moldboard slat SRP350W41	1	2755.07.01	8.000 kg
37.0082	left	Moldboard slat SRP350WL41	1	2755.07.02	8.000 kg
37.0101	—	Landside protector XP-61	15	2708.14.01	5.000 kg
37.0105	right	Beak share SSP351W	8	2751.33.01	9.000 kg
37.0106	left	Beak share SSP351WL	8	2751.33.02	9.000 kg

TIPO BP-350 W(L)



Part-no.	Type	Description	Pos. BP-350 WS(L)	Orig.- part.no.	Weight
37.0107	right	Beak share reinforced SSP350WP	7	2751.28.01	8.500 kg
37.0108	left	Beak share reinforced SSP350WPL	7	2751.28.02	8.500 kg
37.0174	right	Shin VRP350W - 10mm	5	2751.05.01	2.710 kg
37.0175	left	Shin VRP350WL - 10mm	5	2751.05.02	2.710 kg
37.0176	right	Beak share reinforced SSP351WP	8	2751.30.01	9.150 kg
37.0177	left	Beak share reinforced SSP351WPL	8	2751.30.02	9.150 kg

TIPO BP-353 RS




TIPO BP-353 RS



Part-no.	Type	Description	Pos. BP- 353 RS	Orig.- part.no.	Weight
37.0001	right	Share point MP293	6	2701.12.01	1.500 kg
37.0002	left	Share point MP293L	6	2701.12.02	1.500 kg
37.0017	right	Shin VRP342R	5	2700.22.01	1.850 kg
37.0018	left	Shin VRP342RL	5	2700.22.02	1.850 kg
37.0029	right	Beak share SSP293O	7	2700.10.01	7.500 kg
37.0030	left	Beak share SSP293OL	7	2700.10.02	7.500 kg
37.0037	right	Reversible point share SSP293OS	8	—	7.520 kg
37.0038	left	Reversible point share SSP293OSL	8	—	7.520 kg
37.0059	right	Landside coulter NG71	9	2722.05.01	3.150 kg
37.0060	left	Landside coulter NG71L	9	2722.05.02	3.150 kg
37.0061	—	Landside protector XP-4	12	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	13	2708.14.00	3.800 kg
37.0063	—	Landside WP292O	11	2701.14.00	5.300 kg
37.0064	—	Landside VP292O	10	2701.15.00	3.490 kg
37.0099	right	Cast heel UP-9	14	2700.30.01	2.100 kg
37.0100	left	Cast heel UP-9L	14	2700.30.02	2.100 kg
37.0111	right	Beak share reinforced SSP293OP	7	—	7.700 kg
37.0112	left	Beak share reinforced SSP293OPL	7	—	7.700 kg
37.0182	right	Moldboard slat SRP358R1	4	2738.09.01	3.300 kg
37.0183	left	Moldboard slat SRP358RL1	4	2738.09.02	3.300 kg
37.0184	right	Moldboard slat SRP358R2	3	2738.06.01	3.830 kg
37.0185	left	Moldboard slat SRP358RL2	3	2738.06.02	3.830 kg
37.0186	right	Moldboard slat SRP358R3	2	2738.07.01	5.000 kg
37.0187	left	Moldboard slat SRP358RL3	2	2738.07.02	5.000 kg
37.0188	right	Moldboard slat SRP358R4	1	2738.08.01	4.760 kg
37.0189	left	Moldboard slat SRP358RL4	1	2738.08.02	4.760 kg

TIPO BP-354 RS



TIPO BP-354 RS




Part-no.	Type	Description	Pos. BP-354 RS	Orig.- part.no.	Weight
37.0001	right	Share point MP293	6	2701.12.01	1.500 kg
37.0002	left	Share point MP293L	6	2701.12.02	1.500 kg
37.0017	right	Shin VRP342R	5	2700.22.01	1.850 kg
37.0018	left	Shin VRP342RL	5	2700.22.02	1.850 kg
37.0031	right	Beak share SSP2940	7	2707.01.01	8.350 kg
37.0032	left	Beak share SSP2940L	7	2707.01.02	8.350 kg
37.0037	right	Reversible point share SSP293OS	8	—	7.520 kg
37.0038	left	Reversible point share SSP293OSL	8	—	7.520 kg
37.0059	right	Landside coulter NG71	9	2722.05.01	3.150 kg
37.0060	left	Landside coulter NG71L	9	2722.05.02	3.150 kg
37.0061	—	Landside protector XP-4	12	2708.15.00	0.900 kg
37.0062	—	Landside protector XP-6	13	2708.14.00	3.800 kg
37.0063	—	Landside WP2920	11	2701.14.00	5.300 kg
37.0064	—	Landside VP2920	10	2701.15.00	3.490 kg
37.0099	right	Cast heel UP-9	14	2700.30.01	2.100 kg
37.0100	left	Cast heel UP-9L	14	2700.30.02	2.100 kg
37.0113	right	Beak share reinforced SSP2940P	7	—	8.480 kg
37.0114	left	Beak share reinforced SSP2940PL	7	—	8.480 kg
37.0182	right	Moldboard slat SRP358R1	4	2738.09.01	3.300 kg
37.0183	left	Moldboard slat SRP358RL1	4	2738.09.02	3.300 kg
37.0184	right	Moldboard slat SRP358R2	3	2738.06.01	3.830 kg
37.0185	left	Moldboard slat SRP358RL2	3	2738.06.02	3.830 kg
37.0186	right	Moldboard slat SRP358R3	2	2738.07.01	5.000 kg
37.0187	left	Moldboard slat SRP358RL3	2	2738.07.02	5.000 kg
37.0188	right	Moldboard slat SRP358R4	1	2738.08.01	4.760 kg
37.0189	left	Moldboard slat SRP358RL4	1	2738.08.02	4.760 kg

VOGEL U.

NOOT

TIPO UN400




TIPO UN400



Part-no.	Type	Description	Pos. UN400	Orig.-part.no.	Weight
38.0000	right	Landside	5	PK8.034.01	4.200 kg
38.0001	left	Landside	5	PK8.035.01	4.200 kg
38.0004	—	Landside protector	6	P58.011.01	2.900 kg
38.0017	right	Moldboard	1	PK4.001.02	12.200 kg
38.0018	left	Moldboard	1	PK4.002.02	12.200 kg
38.0025	right	Shin	2	PK4.001.03	1.600 kg
38.0026	left	Shin	2	PK4.002.03	1.600 kg
38.0033	right	Reversible point 65x14	3	PK8.011.01	1.520 kg
38.0034	left	Reversible point 65x14	3	PK8.011.02	1.520 kg
38.0037	right	Reversible point share - 16"	4	PK4.013.01	5.980 kg
38.0038	left	Reversible point share - 16"	4	PK4.014.01	5.980 kg
38.0039	right	Reversible point share - 18"	4	PK5.013.01	6.450 kg
38.0040	left	Reversible point share - 18"	4	PK5.014.01	6.450 kg
38.0047	right	Moldboard extension	7	PK8.001.02	1.400 kg
38.0048	left	Moldboard extension	7	PK8.002.02	1.400 kg
38.0068	right	Reversible point 70x15	3b	PK8.011.01	1.700 kg
38.0069	left	Reversible point 70x15	3b	PK8.011.02	1.700 kg
38.0070	right	Reversible point 62x12	3a	PK0.000.01	1.400 kg
38.0071	left	Reversible point 65x12	3a	PK0.000.02	1.400 kg


TIPO UN430



TIPO UN430

Part-no.	Type	Description	Pos. UN430	Orig.-part.no.	Weight
38.0000	right	Landside	5	PK8.034.01	4.200 kg
38.0001	left	Landside	5	PK8.035.01	4.200 kg
38.0004	—	Landside protector	6	P58.011.01	2.900 kg
38.0019	right	Moldboard	1	PK5.001.02	18.400 kg
38.0020	left	Moldboard	1	PK5.002.02	18.400 kg
38.0027	right	Shin	2	PK5.001.03	2.000 kg
38.0028	left	Shin	2	PK5.002.03	2.000 kg
38.0033	right	Reversible point 65x14	3	PK8.011.01	1.520 kg
38.0034	left	Reversible point 65x14	3	PK8.011.02	1.520 kg
38.0037	right	Reversible point share - 16 ^{cc}	4	PK4.013.01	5.980 kg
38.0038	left	Reversible point share - 16 ^{cc}	4	PK4.014.01	5.980 kg
38.0039	right	Reversible point share - 18 ^{cc}	4	PK5.013.01	6.450 kg
38.0040	left	Reversible point share - 18 ^{cc}	4	PK5.014.01	6.450 kg
38.0047	right	Moldboard extension	7	PK8.001.02	1.400 kg
38.0048	left	Moldboard extension	7	PK8.002.02	1.400 kg
38.0068	right	Reversible point 70x15	3b	PK8.011.01	1.700 kg
38.0069	left	Reversible point 70x15	3b	PK8.011.02	1.700 kg
38.0070	right	Reversible point 62x12	3a	PK0.000.01	1.400 kg
38.0071	left	Reversible point 65x12	3a	PK0.000.02	1.400 kg

TIPO WY400




TIPO WY400



Part-no.	Type	Description	Pos. WY400	Orig.- part.no.	Weight
38.0000	right	Landside	5	PK8.034.01	4.200 kg
38.0001	left	Landside	5	PK8.035.01	4.200 kg
38.0004	—	Landside protector	6	P58.011.01	2.900 kg
38.0021	right	Moldboard	1	PK8.001.09	19.600 kg
38.0022	left	Moldboard	1	PK8.002.09	19.600 kg
38.0029	right	Shin	2	PK8.005.01	2.200 kg
38.0030	left	Shin	2	PK8.006.01	2.200 kg
38.0033	right	Reversible point 65x14	3	PK8.011.01	1.520 kg
38.0034	left	Reversible point 65x14	3	PK8.011.02	1.520 kg
38.0041	right	Reversible point share - 14"	4	PK6.013.01	5.600 kg
38.0042	left	Reversible point share - 14"	4	PK6.014.01	5.600 kg
38.0043	right	Reversible point share - 16"	4	PK7.013.01	5.920 kg
38.0044	left	Reversible point share - 16"	4	PK7.014.01	5.920 kg
38.0045	right	Reversible point share - 18"	4	PK8.013.01	6.500 kg
38.0046	left	Reversible point share - 18"	4	PK8.014.01	6.500 kg
38.0047	right	Moldboard extension	8	PK8.001.02	1.400 kg
38.0048	left	Moldboard extension	8	PK8.002.02	1.400 kg
38.0049	right	Trash board	7	PK8.051.02	3.500 kg
38.0050	left	Trash board	7	PK8.052.02	3.500 kg
38.0054	right	Beak share WS400R 16"	4a	PK000005	5.860 kg
38.0055	left	Beak share WS400L 16"	4a	PK000006	5.860 kg
38.0068	right	Reversible point 70x15	3b	PK8.011.01	1.700 kg
38.0069	left	Reversible point 70x15	3b	PK8.011.02	1.700 kg
38.0070	right	Reversible point 62x12	3a	PK0.000.01	1.400 kg
38.0071	left	Reversible point 65x12	3a	PK0.000.02	1.400 kg

**Ofrecemos todo tipo de
recambios.**

**Todos nuestros productos
son inportados de
Alemania.**



Preguntenos sin compromiso



**Trituradoras,astilladoras
Jensen para madrea, troncos y
ramas**